



DRAWN BY: LISA CYFORD



STEEL WELDED WIRE FABRIC ~
COMPLY WITH **STANDARD SPEC 9-07.7**



- 6 x 6 W2.1 x W2.1 (8 GAGE)
- 6 x 6 W2.9 x W2.9 (6 GAGE)
- 6 x 6 W4.0 x W4.0 (4 GAGE)
- 4 x 4 W1.4 x W1.4 (10 GAGE)
- 4 x 4 W2.1 x W2.1 (8 GAGE)
- 4 x 4 W2.9 x W2.9 (6 GAGE)

1 1/2" CLEARANCE ON ALL SURFACES



NOTES

1. Use the barrier type, precast or cast-in-place, as specified in the Contract.
2. For Single-Slope Concrete Barrier details, see **Standard Plan series C-70's** (precast) or **C-80's** (cast-in-place).



NOTE: THIS PLAN IS NOT A LEGAL ENGINEERING DOCUMENT UNTIL REVISIONS HAVE BEEN MADE AND APPROVED BY THE ENGINEER AND APPROVED FOR PUBLICATION IS KEPT ON FILE AT THE WASHINGTON STATE DEPARTMENT OF TRANSPORTATION. A COPY MAY BE OBTAINED UPON REQUEST.

SINGLE-SLOPE CONCRETE BARRIER PLACEMENT (SPLIT)
STANDARD PLAN C-85.10-00

SHEET 1 OF 1 SHEET

APPROVED FOR PUBLICATION

Pasco Bakotich III 04/18/12
STATE DESIGN ENGINEER DATE

Washington State Department of Transportation