



**NOTES** 

basin. See Section A.

may be cast with a pattern.

requirements.

this drawing.

1. This inlet requires the precast catch basin unit to be rotated 90 degrees so that the narrow side is parallel to the curb line. When calculating offsets from curb to centerline (CL) of the

2. The dimensions of the frame and hood may vary slightly among different manufacturers.

precast catch basin, please note that the CL of the grate is not the CL of the precast catch

The Frame may have cast features intended to support a debris guard. Hood units may be

washers. The washers shall have diameters adequate to ensure full bearing across the slots.

mounted inside or outside of the frame. The methods for fastening the safety bar / debris guard rod to the hood may vary. The hood may include casting lugs. The top of the hood

3. Attach the hood to the frame with two 3/4" (in) × 2" (in) hex head bolts, nuts, and oversize

4. Bolt-down capability is required on all frames, grates and covers, unless specified otherwise in the Contract. Provide two holes in the frame that are vertically aligned with the grate or cover slots. The frame shall accept the 304 Stainless Steel (S.S.) 5/8" (in) - 11 NC × 2" (in) allen head cap screw by being tapped, or other approved mechanism. Location of bolt-down holes varies by manufacturer. See **BOLT-DOWN DETAIL**, **Standard Plan B-30.10**.

5. Only ductile iron Vaned Grates shall be used. See Standard Plans B-30.30 and B-30.40

for grate details. Refer to Standard Specification Section 9-05.15(2) for additional

6. This plan is intended to show the installation details of a manufactured product. This plan is not intended to show the specific details necessary to fabricate the castings depicted in