

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 1 PREPARATION</b>					
0001	L.S.	MOBILIZATION		A1	STANDARD ITEM
0002	L.S.	MOBILIZATION----- (43)		A1	REQUIRES SPECIAL PROV.
0025	ACRE	CLEARING AND GRUBBING		D6	STANDARD ITEM
0030	ACRE	CLEARING AND GRUBBING - SITE----- (27)		D6	STANDARD ITEM
0035	L.S.	CLEARING AND GRUBBING		D6	STD. ITEM, GSP REQUIRED
0040	L.S.	CLEARING AND GRUBBING - SITE----- (27)		D6	STD. ITEM, GSP REQUIRED
0044	C.Y.	STRIPPING INCL. HAUL		D6	STANDARD ITEM
0045	C.Y.	STRIPPING INCL. HAUL - SITE----- (28)		D6	STANDARD ITEM
0038	EST.	ARCHAEOLOGICAL AND HISTORICAL SALVAGE		A1	GSP ITEM
0047	EACH	REMOVING MANHOLE		G2	REQUIRES SPECIAL PROV.
0049	EACH	REMOVING DRAINAGE STRUCTURE		G2	REQUIRES SPECIAL PROV.
0050	L.S.	REMOVAL OF STRUCTURES AND OBSTRUCTIONS		F8	STD. ITEM, GSP REQUIRED
0252	EST.	REMOVING NOISE BARRIER WALL SHAFT OBSTRUCTIONS		T0	STANDARD ITEM
0254	EST.	REMOVING SOLDIER PILE SHAFT OBSTRUCTIONS		T0	STANDARD ITEM
0256	EST.	REMOVING SHAFT OBSTRUCTIONS		T0	STANDARD ITEM
0257	EST.	REMOVING TRAFFIC SIGNAL SHAFT OBSTRUCTIONS		T0	GSP ITEM
0258	EST.	REMOVING SIGN STRUCTURE SHAFT OBSTRUCTIONS		T0	STANDARD ITEM
0259	L.S.	WORK ACCESS----- (44)		B0	GSP ITEM
0060	L.S.	REMOVING PORTION OF EXISTING STRUCTURE----- (17)		F8	STANDARD ITEM
0061	L.S.	REMOVING PORTION OF EXISTING BRIDGE----- (20)		F8	STANDARD ITEM
0062	L.S.	REMOVING PORTION OF CONC. BOX CULV.----- (20)		F8	REQUIRES SPECIAL PROV.

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 1 PREPARATION</b>					
0070	L.S.	REMOVING EXISTING STRUCTURE----- (28)		F8	STANDARD ITEM
0071	L.S.	REMOVING EXISTING BRIDGE----- (31)		F8	STANDARD ITEM
0116	EACH	REMOVING CONC. INLET		D6	REQUIRES SPECIAL PROV.
0080	S.Y.	REMOVING BITUMINOUS PAVEMENT		D6	REQUIRES SPECIAL PROV.
0090	S.Y.	REMOVING CEMENT CONC. PAVEMENT		D6	GSP ITEM
0100	S.Y.	REMOVING CEMENT CONC. SIDEWALK		D6	REQUIRES SPECIAL PROV.
0108	L.F.	REMOVING CEMENT CONC. CURB AND GUTTER		D6	REQUIRES SPECIAL PROV.
0110	L.F.	REMOVING CEMENT CONC. CURB		D6	GSP ITEM
0114	L.F.	REMOVING CEMENT CONC. GUTTER		D6	REQUIRES SPECIAL PROV.
0120	S.Y.	REMOVING ASPHALT CONC. PAVEMENT		D6	GSP ITEM
0130	S.Y.	REMOVING ASPHALT CONC. SIDEWALK		D6	GSP ITEM
0140	L.F.	REMOVING ASPHALT CONC. CURB		D6	GSP ITEM
0145	L.F.	REMOVING CONC. BARRIER		N0	REQUIRES SPECIAL PROV.
0150	S.Y.	REMOVING TRAFFIC ISLAND		D6	REQUIRES SPECIAL PROV.
0160	L.F.	REMOVING TRAFFIC CURB		D6	REQUIRES SPECIAL PROV.
0170	L.F.	REMOVING GUARDRAIL		K2	STANDARD ITEM
0182	EACH	REMOVING GUARDRAIL ANCHOR		K2	STANDARD ITEM
0180	EACH	REMOVING CONC. SPOT POST		A1	REQUIRES SPECIAL PROV.
0185	EACH	REMOVING GUIDE POST		K6	REQUIRES SPECIAL PROV.
0187	L.F.	REMOVING PAINT LINE		Q2	STANDARD ITEM
0190	L.F.	REMOVING PLASTIC LINE		Q2	STANDARD ITEM

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 1 PREPARATION</b>					
0199	EACH	REMOVING PAINTED TRAFFIC MARKING		Q2	STANDARD ITEM
0200	EACH	REMOVING PLASTIC TRAFFIC MARKING		Q2	STANDARD ITEM
0203	S.F.	REMOVING PAINTED CROSSWALK LINE		Q2	STANDARD ITEM
0204	S.F.	REMOVING PLASTIC CROSSWALK LINE		Q2	STANDARD ITEM
0201	EACH	REMOVING TRAFFIC BUTTON		Q2	REQUIRES SPECIAL PROV.
0208	HUND	REMOVING RAISED PAVEMENT MARKER		Q2	REQUIRES SPECIAL PROV.
0209	L.S.	REMOVING RAISED PAVEMENT MARKER		Q2	REQUIRES SPECIAL PROV.
0213	L.F.	REMOVING DELINEATION LIGHT		H2	REQUIRES SPECIAL PROV.
0215	L.S.	REMOVING MISCELLANEOUS TRAFFIC ITEM		Q2	GSP ITEM
0220	L.F.	REMOVING CHAIN LINK FENCE		I8	REQUIRES SPECIAL PROV.
0230	L.F.	REMOVING WIRE FENCE		I8	REQUIRES SPECIAL PROV.
0240	EST.	VOLCANIC ASH REMOVAL----- (35)		A1	REQUIRES SPECIAL PROV.
0250	L.S.	REMOVAL AND DISPOSAL OF ASBESTOS MATERIAL		A3	GSP ITEM
0251	C.Y.	HAZARDOUS MATERIAL EXCAVATION		A1	GSP ITEM
0260	EST.	HAZARDOUS MATERIAL HANDLING AND DISPOSAL		A1	GSP ITEM
0261	C.Y.	HAZARDOUS MATERIAL EXCAVATION INCL. HAUL		A1	GSP ITEM
0940	L.S.	DISPOSAL OF CREOSOTED MATERIAL		F8	WSF ITEM REQ. SPECIAL PRO
0262	L.S.	DECOMMISSIONING WELLS		D6	GSP ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 2 GRADING</b>					
0300	C.Y.	ROADWAY EXCAVATION		J6	STANDARD ITEM
0310	C.Y.	ROADWAY EXCAVATION INCL. HAUL		J6	STANDARD ITEM
0320	C.Y.	ROADWAY EXCAVATION - AREA----- (30)		J6	STANDARD ITEM
0330	C.Y.	ROADWAY EXCAVATION INCL. HAUL - AREA----- (19)		J6	STANDARD ITEM
0301	MI.	SHOULDER FINISHING		J6	STANDARD ITEM
0332	S.Y.	PAVEMENT REPAIR EXCAVATION INCL. HAUL		J6	STANDARD ITEM
0340	C.Y.	UNSUITABLE FOUNDATION EXCAVATION		J6	STANDARD ITEM
0350	C.Y.	UNSUITABLE FOUNDATION EXCAVATION INCL. HAUL		J6	STANDARD ITEM
0370	L.F.	CONTROLLED BLASTING OF ROCK FACE		G8	STANDARD ITEM
0380	CRHR	ROCK SLOPE SCALING		X0	GSP ITEM
0390	C.Y.	ROCK SLOPE SCALING DEBRIS REMOVAL INCL. HAUL		K8	GSP ITEM
0400	UNIT	HAUL		K8	STANDARD ITEM
0405	C.Y.	COMMON BORROW INCL. HAUL		J6	STANDARD ITEM
0408	TON	SELECT BORROW INCL. HAUL		J6	STANDARD ITEM
0409	C.Y.	SELECT BORROW INCL. HAUL		J6	STANDARD ITEM
0421	C.Y.	GRAVEL BORROW INCL. HAUL		J6	STANDARD ITEM
0431	TON	GRAVEL BORROW INCL. HAUL		J6	STANDARD ITEM
0440	TON	SAND DRAINAGE BLANKET		J6	STANDARD ITEM
0455	L.F.	PREFABRICATED VERTICAL DRAIN		L4	STANDARD ITEM
0460	C.Y.	EMBANKMENT IN PLACE		J6	REQ. SPECIAL & HQ APPROV
0470	C.Y.	EMBANKMENT COMPACTION		J6	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 2 GRADING</b>					
0480	HR	COMPACTOR UNIT		J6	REQUIRES SPECIAL PROV.
0490	EST.	AERATION		J6	STD. ITEM REQ. HQ APPROV.
0500	L.F.	SETTLEMENT INDICATING DEVICE		T6	REQUIRES SPECIAL PROV.
0502	EACH	SETTLEMENT INDICATING DEVICE		T6	REQUIRES SPECIAL PROV.
0505	EACH	PORE PRESSURE DETECTION DEVICE		R4	REQUIRES SPECIAL PROV.

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 3 STOCKPILING</b>					
0600	C.Y.	BALLAST IN STOCKPILE		F6	STANDARD ITEM
0610	TON	BALLAST IN STOCKPILE		F6	STANDARD ITEM
0620	C.Y.	PERMEABLE BALLAST IN STOCKPILE		F6	STANDARD ITEM
0630	TON	PERMEABLE BALLAST IN STOCKPILE		F6	STANDARD ITEM
0640	C.Y.	CRUSHED SURFACING BASE COURSE IN STOCKPILE		F6	STANDARD ITEM
0650	TON	CRUSHED SURFACING BASE COURSE IN STOCKPILE		F6	STANDARD ITEM
0660	C.Y.	CRUSHED SURFACING TOP COURSE IN STOCKPILE		F6	STANDARD ITEM
0670	TON	CRUSHED SURFACING TOP COURSE IN STOCKPILE		F6	STANDARD ITEM
0690	TON	CRUSHED COVER STONE IN STOCKPILE		F6	STANDARD ITEM
0695	C.Y.	CRUSHED COVER STONE IN STOCKPILE		F6	STANDARD ITEM
0700	TON	SCREENED COVER STONE IN STOCKPILE		F6	STANDARD ITEM
0710	TON	CRUSHED SCREENING 5/8 TO 1/4 IN STOCKPILE		F6	STANDARD ITEM
0711	C.Y.	CRUSHED SCREENING 5/8 TO 1/4 IN STOCKPILE		F6	STANDARD ITEM
0720	TON	CRUSHED SCREENING 1/2 TO 1/4 IN STOCKPILE		F6	STANDARD ITEM
0721	C.Y.	CRUSHED SCREENING 1/2 TO 1/4 IN STOCKPILE		F6	STANDARD ITEM
0725	TON	CRUSHED SCREENING 3/8 TO NO. 10 IN STOCKPILE		F6	STANDARD ITEM
0726	C.Y.	CRUSHED SCREENING 3/8 TO NO. 10 IN STOCKPILE		F6	STANDARD ITEM
0730	TON	CRUSHED SCREENING 1/4 TO 0 IN STOCKPILE		F6	STANDARD ITEM
0731	C.Y.	CRUSHED SCREENING 1/4 TO 0 IN STOCKPILE		F6	STANDARD ITEM
0740	TON	AGG. FOR ACP CL. B 5/8 IN. TO 1/4 IN. IN STOCKPILE		F6	STANDARD ITEM
0750	TON	AGG. FOR ACP CL. B 1/4 IN. TO 0 IN. IN STOCKPILE		F6	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 3 STOCKPILING</b>					
0790	TON	AGG. FOR ACP CL. F 3/4 IN. TO 1/4 IN. IN STOCKPILE		F6	STANDARD ITEM
0800	TON	AGG. FOR ACP CL. F 1/4 IN. TO 0 IN. IN STOCKPILE		F6	STANDARD ITEM
0820	C.Y.	MAINTENANCE ROCK 1/2 IN. MINUS IN STOCKPILE		F6	STANDARD ITEM
0830	TON	MAINTENANCE ROCK 1/2 IN. MINUS IN STOCKPILE		F6	STANDARD ITEM
0840	C.Y.	MAINTENANCE SAND 3/8 IN. MINUS IN STOCKPILE		F6	REQUIRES SPECIAL PROV.
0850	TON	MAINTENANCE SAND 3/8 IN. MINUS IN STOCKPILE		F6	REQUIRES SPECIAL PROV.
0860	C.Y.	MAINTENANCE SAND 1/4 IN. MINUS IN STOCKPILE		F6	REQUIRES SPECIAL PROV.
0870	TON	MAINTENANCE SAND 1/4 IN. MINUS IN STOCKPILE		F6	REQUIRES SPECIAL PROV.

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1025	C.Y.	DITCH EXCAVATION		G2	STANDARD ITEM
1030	C.Y.	DITCH EXCAVATION INCL. HAUL		G2	STANDARD ITEM
1035	C.Y.	CHANNEL EXCAVATION		J6	STANDARD ITEM
1040	C.Y.	CHANNEL EXCAVATION INCL. HAUL		J6	STANDARD ITEM
1046	EACH	CONCRETE INLET		G2	STANDARD ITEM
1053	EACH	GRATE INLET TYPE 1		G2	STANDARD ITEM
1054	EACH	GRATE INLET TYPE 2		G2	STANDARD ITEM
1052	EACH	FRAME AND VANED GRATES FOR GRATE INLET TYPE 2		G2	REQUIRES SPECIAL PROV.
1058	EACH	DROP INLET TYPE 1		G2	STANDARD ITEM
1059	EACH	DROP INLET TYPE 2		G2	STANDARD ITEM
1062	EACH	PRECAST CONCRETE DRYWELL		G2	STANDARD ITEM
1063	EACH	COMBINATION INLET		G2	STANDARD ITEM
1065	L.F.	CEMENT CONC. GUTTER		C8	STANDARD ITEM
1066	L.F.	ASPHALT CONC. GUTTER		A2	STANDARD ITEM
1070	L.F.	CEMENT CONC. SPILLWAY		C8	STANDARD ITEM
1071	L.F.	ASPHALT CONC. SPILLWAY		A2	STANDARD ITEM
1069	C.Y.	FILTER BLANKET		G2	STANDARD ITEM
1068	TON	FILTER BLANKET		G2	STANDARD ITEM
1067	S.Y.	MEDIA FILTER DRAIN TYPE----- (32)		G2	GSP ITEM
917	TON	AQUITARD		G2	GSP ITEM
1077	TON	8 IN. QUARRY ROCK		R0	REQUIRES SPECIAL PROV.



## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1093	TON	STREAMBED SEDIMENT		G2	STANDARD ITEM
1099	TON	STREAMBED FINE SEDIMENT		G2	STANDARD ITEM
1090	TON	STREAMBED SAND		G2	STANDARD ITEM
1095	C.Y.	STREAMBED SEDIMENT		G2	REQUIRES SPECIAL PROV.
1072	C.Y.	HAND PLACED RIPRAP		R0	STANDARD ITEM
1073	TON	LIGHT LOOSE RIPRAP		R0	STANDARD ITEM
1074	C.Y.	LIGHT LOOSE RIPRAP		R0	STANDARD ITEM
1075	TON	HEAVY LOOSE RIPRAP		R0	STANDARD ITEM
1076	C.Y.	HEAVY LOOSE RIPRAP		R0	STANDARD ITEM
0885	C.Y.	STREAMBED COBBLES 4 IN		G2	REQUIRES SPECIAL PROV.
0886	C.Y.	STREAMBED COBBLES 6 IN.		G2	REQUIRES SPECIAL PROV.
0887	C.Y.	STREAMBED COBBLES 8 IN.		G2	REQUIRES SPECIAL PROV.
0888	C.Y.	STREAMBED COBBLES 10 IN.		G2	REQUIRES SPECIAL PROV.
0889	C.Y.	STREAMBED COBBLES 12 IN.		G2	REQUIRES SPECIAL PROV.
0900	TON	STREAMBED COBBLES 4 IN.		G2	STANDARD ITEM
0901	TON	STREAMBED COBBLES 6 IN.		G2	STANDARD ITEM
0902	TON	STREAMBED COBBLES 8 IN.		G2	STANDARD ITEM
0903	TON	STREAMBED COBBLES 10 IN.		G2	STANDARD ITEM
0904	TON	STREAMBED COBBLES 12 IN.		G2	STANDARD ITEM
0905	EACH	STREAMBED BOULDER TYPE ONE		R0	STANDARD ITEM
0906	TON	STREAMBED BOULDER TYPE ONE		R0	REQUIRES SPECIAL PROV.

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
0907	EACH	STREAMBED BOULDER TYPE TWO		R0	STANDARD ITEM
0908	EACH	STREAMBED BOULDER TYPE THREE		R0	STANDARD ITEM
0909	EACH	STREAMBED BOULDER TYPE FOUR		R0	STANDARD ITEM
0912	EACH	HABITAT BOULDER THREE MAN		R0	REQUIRES SPECIAL PROV.
0913	EACH	HABITAT BOULDER FOUR MAN		R0	REQUIRES SPECIAL PROV.
0914	EACH	HABITAT BOULDER FIVE MAN		R0	REQUIRES SPECIAL PROV.
0915	EACH	HABITAT BOULDER SIX MAN		R0	REQUIRES SPECIAL PROV.
0918	EACH	WOODY MATERIAL-LOG WITHOUT ROOTWAD DBH----- (17)		A1	GSP ITEM
0919	EACH	WOODY MATERIAL-LOG WITH ROOTWAD DBH----- (20)		A1	GSP ITEM
0916	EST.	ADDITIONAL STREAMBED GRADING		J6	STANDARD ITEM
0917	C.Y.	SLASH		A1	GSP ITEM
0921	TON	ROCK FOR EROSION AND SCOUR PROTECTION CLASS A		R0	REQUIRES SPECIAL PROV.
0922	C.Y.	ROCK FOR EROSION AND SCOUR PROTECTION CLASS A		R0	REQUIRES SPECIAL PROV.
0923	TON	ROCK FOR EROSION AND SCOUR PROTECTION CLASS B		R0	REQUIRES SPECIAL PROV.
0924	C.Y.	ROCK FOR EROSION AND SCOUR PROTECTION CLASS B		R0	REQUIRES SPECIAL PROV.
0925	TON	ROCK FOR EROSION AND SCOUR PROTECTION CLASS C		R0	REQUIRES SPECIAL PROV.
0926	C.Y.	ROCK FOR EROSION AND SCOUR PROTECTION CLASS C		R0	REQUIRES SPECIAL PROV.
1085	C.Y.	QUARRY SPALLS		R0	STANDARD ITEM
1086	TON	QUARRY SPALLS		R0	STANDARD ITEM
1080	L.F.	RELAYING----- (47)		G2	STANDARD ITEM
1091	L.F.	SAFETY BARS FOR CULVERT PIPE TYPE 1		G2	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1092	L.F.	SAFETY BARS FOR CULVERT PIPE TYPE 2		G2	STANDARD ITEM
0967	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 15 IN. DIAM.		G2	STANDARD ITEM
0968	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 18 IN. DIAM.		G2	STANDARD ITEM
0969	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 21 IN. DIAM.		G2	STANDARD ITEM
0970	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 24 IN. DIAM.		G2	STANDARD ITEM
0971	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 30 IN. DIAM.		G2	STANDARD ITEM
0972	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 36 IN. DIAM.		G2	STANDARD ITEM
0973	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 36 IN. DIAM.		G2	STANDARD ITEM
0974	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 42 IN. DIAM.		G2	STANDARD ITEM
0975	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 42 IN. DIAM.		G2	STANDARD ITEM
0976	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 48 IN. DIAM.		G2	STANDARD ITEM
0977	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 48 IN. DIAM.		G2	STANDARD ITEM
0978	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 54 IN. DIAM.		G2	STANDARD ITEM
0979	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 54 IN. DIAM.		G2	STANDARD ITEM
0966	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 21 IN. SPAN		G2	STANDARD ITEM
0989	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 24 IN. SPAN		G2	STANDARD ITEM
0990	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 28 IN. SPAN		G2	STANDARD ITEM
0991	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 35 IN. SPAN		G2	STANDARD ITEM
0992	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 35 IN. SPAN		G2	STANDARD ITEM
0993	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 42 IN. SPAN		G2	STANDARD ITEM
0994	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 42 IN. SPAN		G2	STANDARD ITEM

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
0995	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 49 IN. SPAN		G2	STANDARD ITEM
0996	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 49 IN. SPAN		G2	STANDARD ITEM
0997	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 57 IN. SPAN		G2	STANDARD ITEM
0998	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 57 IN. SPAN		G2	STANDARD ITEM
0999	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 64 IN. SPAN		G2	STANDARD ITEM
1000	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 64 IN. SPAN		G2	STANDARD ITEM
1100	EACH	FLARED END SECTION 12 IN. DIAM.		G2	STANDARD ITEM
1101	EACH	FLARED END SECTION 15 IN. DIAM.		G2	STANDARD ITEM
1102	EACH	FLARED END SECTION 18 IN. DIAM.		G2	STANDARD ITEM
1104	EACH	FLARED END SECTION 24 IN. DIAM.		G2	STANDARD ITEM
1105	EACH	FLARED END SECTION 30 IN. DIAM.		G2	STANDARD ITEM
1106	EACH	FLARED END SECTION 36 IN. DIAM.		G2	STANDARD ITEM
1107	EACH	FLARED END SECTION 42 IN. DIAM.		G2	STANDARD ITEM
1108	EACH	FLARED END SECTION 48 IN. DIAM.		G2	STANDARD ITEM
1109	EACH	FLARED END SECTION 54 IN. DIAM.		G2	STANDARD ITEM
1110	EACH	FLARED END SECTION 60 IN. DIAM.		G2	STANDARD ITEM
1112	EACH	FLARED END SECTION 72 IN. DIAM.		G2	STANDARD ITEM
1113	EACH	FLARED END SECTION 78 IN. DIAM.		G2	STANDARD ITEM
1114	EACH	FLARED END SECTION 84 IN. DIAM.		G2	STANDARD ITEM
1120	EACH	FLARED END SECTION 17 IN. SPAN		G2	STANDARD ITEM
1121	EACH	FLARED END SECTION 21 IN. SPAN		G2	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1122	EACH	FLARED END SECTION 24 IN. SPAN		G2	STANDARD ITEM
1123	EACH	FLARED END SECTION 28 IN. SPAN		G2	STANDARD ITEM
1124	EACH	FLARED END SECTION 35 IN. SPAN		G2	STANDARD ITEM
1125	EACH	FLARED END SECTION 42 IN. SPAN		G2	STANDARD ITEM
1126	EACH	FLARED END SECTION 49 IN. SPAN		G2	STANDARD ITEM
1127	EACH	FLARED END SECTION 57 IN. SPAN		G2	STANDARD ITEM
1128	EACH	FLARED END SECTION 64 IN. SPAN		G2	STANDARD ITEM
1129	EACH	FLARED END SECTION 71 IN. SPAN		G2	STANDARD ITEM
1130	EACH	FLARED END SECTION 77 IN. SPAN		G2	STANDARD ITEM
1131	EACH	FLARED END SECTION 83 IN. SPAN		G2	STANDARD ITEM
1135	L.F.	HALF ROUND PLAIN ST. CULV. PIPE 0.064 IN.TH. 12 IN.DIAM.		G2	STANDARD ITEM
1136	L.F.	HALF ROUND PLAIN ST. CULV. PIPE 0.064 IN.TH. 18 IN.DIAM.		G2	STANDARD ITEM
1137	L.F.	HALF ROUND PLAIN ST. CULV. PIPE 0.064 IN.TH. 24 IN.DIAM.		G2	STANDARD ITEM
1138	L.F.	HALF ROUND PLAIN ST. CULV. PIPE 0.064 IN.TH. 30 IN.DIAM.		G2	STANDARD ITEM
1140	L.F.	HALF ROUND TR. 1 ST. CULV. PIPE 0.064 IN.TH. 12 IN.DIAM.		G2	STANDARD ITEM
1142	L.F.	HALF ROUND TR. 1 ST. CULV. PIPE 0.064 IN.TH. 24 IN.DIAM.		G2	STANDARD ITEM
1160	L.F.	UNDERDRAIN PIPE 6 IN. DIAM.		L4	STANDARD ITEM
1161	L.F.	UNDERDRAIN PIPE 8 IN. DIAM.		L4	STANDARD ITEM
1162	L.F.	UNDERDRAIN PIPE 10 IN. DIAM.		L4	STANDARD ITEM
1163	L.F.	UNDERDRAIN PIPE 12 IN. DIAM.		L4	STANDARD ITEM
1164	L.F.	UNDERDRAIN PIPE 15 IN. DIAM.		L4	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1165	L.F.	UNDERDRAIN PIPE 18 IN. DIAM.		L4	STANDARD ITEM
1166	L.F.	UNDERDRAIN PIPE 21 IN. DIAM.		L4	STANDARD ITEM
1170	L.F.	DRAIN PIPE 6 IN. DIAM.		L4	STANDARD ITEM
1171	L.F.	DRAIN PIPE 8 IN. DIAM.		L4	STANDARD ITEM
1172	L.F.	DRAIN PIPE 10 IN. DIAM.		L4	STANDARD ITEM
1173	L.F.	DRAIN PIPE 12 IN. DIAM.		L4	STANDARD ITEM
1174	L.F.	DRAIN PIPE 15 IN. DIAM.		L4	STANDARD ITEM
1175	L.F.	DRAIN PIPE 18 IN. DIAM.		L4	STANDARD ITEM
1176	L.F.	DRAIN PIPE 21 IN. DIAM.		L4	STANDARD ITEM
1180	L.F.	SCHEDULE A CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
1182	L.F.	SCHEDULE A CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
1184	L.F.	SCHEDULE A CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
1186	L.F.	SCHEDULE A CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM
1188	L.F.	SCHEDULE B CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
1190	L.F.	SCHEDULE B CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
1192	L.F.	SCHEDULE B CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
1194	L.F.	SCHEDULE B CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM
1196	L.F.	SCHEDULE C CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
1198	L.F.	SCHEDULE C CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
1200	L.F.	SCHEDULE C CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
1202	L.F.	SCHEDULE C CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1204	L.F.	SCHEDULE D CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
1206	L.F.	SCHEDULE D CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
1208	L.F.	SCHEDULE D CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
1210	L.F.	SCHEDULE D CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM
1215	L.F.	PLAIN CONC. CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
1216	L.F.	PLAIN CONC. CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
1217	L.F.	PLAIN CONC. CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
2992	L.F.	SOLID WALL PVC CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
2993	L.F.	SOLID WALL PVC CULV. PIPE 15 IN. DIAM.		G2	STANDARD ITEM
2994	L.F.	SOLID WALL PVC CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
2995	L.F.	SOLID WALL PVC CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
2996	L.F.	SOLID WALL PVC CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM
2997	L.F.	PROFILE WALL PVC CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
2998	L.F.	PROFILE WALL PVC CULV. PIPE 15 IN. DIAM.		G2	STANDARD ITEM
2999	L.F.	PROFILE WALL PVC CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
3000	L.F.	PROFILE WALL PVC CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
3001	L.F.	PROFILE WALL PVC CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM
3008	L.F.	CORRUGATED POLYETHYLENE CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
3009	L.F.	CORRUGATED POLYETHYLENE CULV. PIPE 15 IN. DIAM.		G2	STANDARD ITEM
3010	L.F.	CORRUGATED POLYETHYLENE CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
3011	L.F.	CORRUGATED POLYETHYLENE CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
3012	L.F.	CORRUGATED POLYETHYLENE CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM
3013	L.F.	ST. RIB REINF POLYETHYLENE CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
3014	L.F.	ST. RIB REINF POLYETHYLENE CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM
3015	L.F.	ST. RIB REINF POLYETHYLENE CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM
3016	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 12 IN. DIAM.		G2	STANDARD ITEM
3017	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 18 IN. DIAM.		G2	STANDARD ITEM
3018	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 24 IN. DIAM.		G2	STANDARD ITEM
3020	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 26 IN. DIAM.		G2	STANDARD ITEM
3019	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 30 IN. DIAM.		G2	STANDARD ITEM
3050	L.F.	POLYPROPYLENE CULVERT PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3052	L.F.	POLYPROPYLENE CULVERT PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3054	L.F.	POLYPROPYLENE CULVERT PIPE 24 IN. DIAM.		T8	STANDARD ITEM
1220	L.F.	CL. II REINF. CONC. CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
1221	L.F.	CL. II REINF. CONC. CULV. PIPE 15 IN. DIAM.		G2	STANDARD ITEM
1222	L.F.	CL. II REINF. CONC. CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
1223	L.F.	CL. II REINF. CONC. CULV. PIPE 21 IN. DIAM.		G2	STANDARD ITEM
1224	L.F.	CL. II REINF. CONC. CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
1226	L.F.	CL. II REINF. CONC. CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM
1228	L.F.	CL. II REINF. CONC. CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM
1229	L.F.	CL. II REINF. CONC. CULV. PIPE 42 IN. DIAM.		G2	STANDARD ITEM
1230	L.F.	CL. II REINF. CONC. CULV. PIPE 48 IN. DIAM.		G2	STANDARD ITEM



## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1231	L.F.	CL. II REINF. CONC. CULV. PIPE 54 IN. DIAM.		G2	STANDARD ITEM
1232	L.F.	CL. II REINF. CONC. CULV. PIPE 60 IN. DIAM.		G2	STANDARD ITEM
1234	L.F.	CL. II REINF. CONC. CULV. PIPE 72 IN. DIAM.		G2	STANDARD ITEM
1236	L.F.	CL. II REINF. CONC. CULV. PIPE 84 IN. DIAM.		G2	STANDARD ITEM
1238	L.F.	CL. II REINF. CONC. CULV. PIPE 96 IN. DIAM.		G2	STANDARD ITEM
1245	L.F.	CL. III REINF. CONC. CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
1247	L.F.	CL. III REINF. CONC. CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
1248	L.F.	CL. III REINF. CONC. CULV. PIPE 21 IN. DIAM.		G2	STANDARD ITEM
1249	L.F.	CL. III REINF. CONC. CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
1251	L.F.	CL. III REINF. CONC. CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM
1253	L.F.	CL. III REINF. CONC. CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM
1254	L.F.	CL. III REINF. CONC. CULV. PIPE 42 IN. DIAM.		G2	STANDARD ITEM
1255	L.F.	CL. III REINF. CONC. CULV. PIPE 48 IN. DIAM.		G2	STANDARD ITEM
1256	L.F.	CL. III REINF. CONC. CULV. PIPE 54 IN. DIAM.		G2	STANDARD ITEM
1257	L.F.	CL. III REINF. CONC. CULV. PIPE 60 IN. DIAM.		G2	STANDARD ITEM
1270	L.F.	CL. IV REINF. CONC. CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
1271	L.F.	CL. IV REINF. CONC. CULV. PIPE 15 IN. DIAM.		G2	STANDARD ITEM
1272	L.F.	CL. IV REINF. CONC. CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
1274	L.F.	CL. IV REINF. CONC. CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
1276	L.F.	CL. IV REINF. CONC. CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM
1278	L.F.	CL. IV REINF. CONC. CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1279	L.F.	CL. IV REINF. CONC. CULV. PIPE 42 IN. DIAM.		G2	STANDARD ITEM
1280	L.F.	CL. IV REINF. CONC. CULV. PIPE 48 IN. DIAM.		G2	STANDARD ITEM
1281	L.F.	CL. IV REINF. CONC. CULV. PIPE 54 IN. DIAM.		G2	STANDARD ITEM
1282	L.F.	CL. IV REINF. CONC. CULV. PIPE 60 IN. DIAM.		G2	STANDARD ITEM
1284	L.F.	CL. IV REINF. CONC. CULV. PIPE 72 IN. DIAM.		G2	STANDARD ITEM
1290	L.F.	CL. V REINF. CONC. CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM
1292	L.F.	CL. V REINF. CONC. CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM
1294	L.F.	CL. V REINF. CONC. CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM
1296	L.F.	CL. V REINF. CONC. CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM
1298	L.F.	CL. V REINF. CONC. CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM
1299	L.F.	CL. V REINF. CONC. CULV. PIPE 42 IN. DIAM.		G2	STANDARD ITEM
1302	L.F.	CL. V REINF. CONC. CULV. PIPE 60 IN. DIAM.		G2	STANDARD ITEM
1310	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 8 IN. DIAM.		G2	STANDARD ITEM
1311	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 10 IN. DIAM.		G2	STANDARD ITEM
1312	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM
1319	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 15 IN. DIAM.		G2	STANDARD ITEM
1313	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1314	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1315	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1316	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1317	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1318	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1320	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1321	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1322	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1323	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1324	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM
1325	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1326	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM
1327	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1328	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1329	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1330	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1331	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM
1332	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1333	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM
1334	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM
1336	L.F.	PLAIN ST. CULV. PIPE 0.138 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1338	L.F.	PLAIN ST. CULV. PIPE 0.138 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM
1340	L.F.	PLAIN ST. CULV. PIPE 0.138 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM
1341	L.F.	PLAIN ST. CULV. PIPE 0.138 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM
1343	L.F.	PLAIN ST. CULV. PIPE 0.138 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1345	L.F.	PLAIN ST. CULV. PIPE 0.168 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1349	L.F.	PLAIN ST. CULV. PIPE 0.168 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM
1351	L.F.	PLAIN ST. CULV. PIPE 0.168 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM
1352	L.F.	PLAIN ST. CULV. PIPE 0.168 IN. TH. 78 IN. DIAM.		G2	STANDARD ITEM
1353	L.F.	PLAIN ST. CULV. PIPE 0.168 IN. TH. 84 IN. DIAM.		G2	STANDARD ITEM
1360	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 8 IN. DIAM.		G2	STANDARD ITEM
1362	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM
1363	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1364	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1365	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1366	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1368	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1371	L.F.	TR. 1 ST. CULV. PIPE 0.079 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1372	L.F.	TR. 1 ST. CULV. PIPE 0.079 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1375	L.F.	TR. 1 ST. CULV. PIPE 0.079 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1378	L.F.	TR. 1 ST. CULV. PIPE 0.109 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1379	L.F.	TR. 1 ST. CULV. PIPE 0.109 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1380	L.F.	TR. 1 ST. CULV. PIPE 0.109 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1381	L.F.	TR. 1 ST. CULV. PIPE 0.109 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM
1384	L.F.	TR. 1 ST. CULV. PIPE 0.109 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM
1387	L.F.	TR. 1 ST. CULV. PIPE 0.138 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1389	L.F.	TR. 1 ST. CULV. PIPE 0.138 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1390	L.F.	TR. 1 ST. CULV. PIPE 0.138 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM
1393	L.F.	TR. 1 ST. CULV. PIPE 0.138 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM
1399	L.F.	TR. 1 ST. CULV. PIPE 0.168 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM
1400	L.F.	TR. 1 ST. CULV. PIPE 0.168 IN. TH. 66 IN. DIAM.		G2	STANDARD ITEM
1403	L.F.	TR. 1 ST. CULV. PIPE 0.168 IN. TH. 84 IN. DIAM.		G2	STANDARD ITEM
1410	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 8 IN. DIAM.		G2	STANDARD ITEM
1412	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM
1413	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1414	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1415	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1416	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1417	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM
1418	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1419	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM
1420	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1421	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1422	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1423	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1424	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM
1425	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1426	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM
1427	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1428	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1429	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1430	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1432	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1433	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM
1434	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM
1435	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 66 IN. DIAM.		G2	STANDARD ITEM
1437	L.F.	TR. 2 ST. CULV. PIPE 0.138 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1438	L.F.	TR. 2 ST. CULV. PIPE 0.138 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM
1441	L.F.	TR. 2 ST. CULV. PIPE 0.138 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM
1443	L.F.	TR. 2 ST. CULV. PIPE 0.138 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM
1445	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1447	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1449	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM
1450	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 66 IN. DIAM.		G2	STANDARD ITEM
1451	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM
1453	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 84 IN. DIAM.		G2	STANDARD ITEM
1462	L.F.	TR. 3 ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM
1463	L.F.	TR. 3 ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1513	L.F.	TR. 4 ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1514	L.F.	TR. 4 ST. CULV. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1516	L.F.	TR. 4 ST. CULV. PIPE 0.064 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1534	L.F.	TR. 4 ST. CULV. PIPE 0.109 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM
1539	L.F.	TR. 4 ST. CULV. PIPE 0.138 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1545	L.F.	TR. 4 ST. CULV. PIPE 0.168 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1547	L.F.	TR. 4 ST. CULV. PIPE 0.168 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1553	L.F.	TR. 4 ST. CULV. PIPE 0.168 IN. TH. 84 IN. DIAM.		G2	STANDARD ITEM
1562	L.F.	TR. 5 ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM
1563	L.F.	TR. 5 ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1564	L.F.	TR. 5 ST. CULV. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1565	L.F.	TR. 5 ST. CULV. PIPE 0.064 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1567	L.F.	TR. 5 ST. CULV. PIPE 0.064 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM
1571	L.F.	TR. 5 ST. CULV. PIPE 0.079 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1580	L.F.	TR. 5 ST. CULV. PIPE 0.109 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1600	L.F.	TR. 5 ST. CULV. PIPE 0.168 IN. TH. 66 IN. DIAM.		G2	STANDARD ITEM
1612	L.F.	TR. 6 ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM
1630	L.F.	TR. 6 ST. CULV. PIPE 0.109 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1632	L.F.	TR. 6 ST. CULV. PIPE 0.109 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1660	L.F.	PLAIN NESTABLE ST. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM
1661	L.F.	PLAIN NESTABLE ST. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
1663	L.F.	PLAIN NESTABLE ST. PIPE 0.064 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1664	L.F.	PLAIN NESTABLE ST. PIPE 0.064 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1665	L.F.	PLAIN NESTABLE ST. PIPE 0.064 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM
1681	L.F.	PLAIN NESTABLE ST. PIPE 0.109 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM
1700	L.F.	TR. 1 NESTABLE ST. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM
1701	L.F.	TR. 1 NESTABLE ST. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1702	L.F.	TR. 1 NESTABLE ST. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1709	L.F.	TR. 1 NESTABLE ST. PIPE 0.079 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1716	L.F.	TR. 1 NESTABLE ST. PIPE 0.109 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1800	L.F.	TR. 3 NESTABLE ST. PIPE 0.109 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM
1950	L.F.	PLAIN AL. CULV. PIPE 0.060 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM
1951	L.F.	PLAIN AL. CULV. PIPE 0.060 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM
1952	L.F.	PLAIN AL. CULV. PIPE 0.060 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM
1953	L.F.	PLAIN AL. CULV. PIPE 0.060 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM
1954	L.F.	PLAIN AL. CULV. PIPE 0.060 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1962	L.F.	PLAIN AL. CULV. PIPE 0.075 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM
1967	L.F.	PLAIN AL. CULV. PIPE 0.105 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM
1991	L.F.	PLAIN AL. CULV. PIPE 0.164 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM
2002	L.F.	ST. STR. PLATE PIPE 12 GAGE 72 IN. DIAM.		V4	STANDARD ITEM
2005	L.F.	ST. STR. PLATE PIPE 12 GAGE 90 IN. DIAM.		V4	STANDARD ITEM
2006	L.F.	ST. STR. PLATE PIPE 12 GAGE 96 IN. DIAM.		V4	STANDARD ITEM



STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
2007	L.F.	ST. STR. PLATE PIPE 12 GAGE 102 IN. DIAM.		V4	STANDARD ITEM
2008	L.F.	ST. STR. PLATE PIPE 12 GAGE 108 IN. DIAM.		V4	STANDARD ITEM
2012	L.F.	ST. STR. PLATE PIPE 12 GAGE 132 IN. DIAM.		V4	STANDARD ITEM
2025	L.F.	ST. STR. PLATE PIPE 10 GAGE 84 IN. DIAM.		V4	STANDARD ITEM
2037	L.F.	ST. STR. PLATE PIPE 10 GAGE 156 IN. DIAM.		V4	STANDARD ITEM
2039	L.F.	ST. STR. PLATE PIPE 10 GAGE 168 IN. DIAM.		V4	STANDARD ITEM
2044	L.F.	ST. STR. PLATE PIPE 8 GAGE 72 IN. DIAM.		V4	STANDARD ITEM
2046	L.F.	ST. STR. PLATE PIPE 8 GAGE 84 IN. DIAM.		V4	STANDARD ITEM
2048	L.F.	ST. STR. PLATE PIPE 8 GAGE 96 IN. DIAM.		V4	STANDARD ITEM
2052	L.F.	ST. STR. PLATE PIPE 8 GAGE 120 IN. DIAM.		V4	STANDARD ITEM
2053	L.F.	ST. STR. PLATE PIPE 8 GAGE 126 IN. DIAM.		V4	STANDARD ITEM
2054	L.F.	ST. STR. PLATE PIPE 8 GAGE 132 IN. DIAM.		V4	STANDARD ITEM
2063	L.F.	ST. STR. PLATE PIPE 7 GAGE 60 IN. DIAM.		V4	STANDARD ITEM
2080	L.F.	ST. STR. PLATE PIPE 7 GAGE 162 IN. DIAM.		V4	STANDARD ITEM
2092	L.F.	ST. STR. PLATE PIPE 5 GAGE 108 IN. DIAM.		V4	STANDARD ITEM
2097	L.F.	ST. STR. PLATE PIPE 5 GAGE 138 IN. DIAM.		V4	STANDARD ITEM
2098	L.F.	ST. STR. PLATE PIPE 5 GAGE 144 IN. DIAM.		V4	STANDARD ITEM
2100	L.F.	ST. STR. PLATE PIPE 5 GAGE 156 IN. DIAM.		V4	STANDARD ITEM
2104	L.F.	ST. STR. PLATE PIPE 5 GAGE 180 IN. DIAM.		V4	STANDARD ITEM
2109	L.F.	ST. STR. PLATE PIPE 3 GAGE 84 IN. DIAM.		V4	STANDARD ITEM
2126	L.F.	ST. STR. PLATE PIPE 1 GAGE 60 IN. DIAM.		V4	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
2132	L.F.	ST. STR. PLATE PIPE 1 GAGE 96 IN. DIAM.		V4	STANDARD ITEM
2263	L.F.	AL. STR. PLATE PIPE 0.250 IN. TH. 102 IN. DIAM.		V4	STANDARD ITEM
2280	L.F.	PLAIN ST. CULV. PIPE ARCH 0.064 IN. TH. 17 IN. SPAN		G2	STANDARD ITEM
2281	L.F.	PLAIN ST. CULV. PIPE ARCH 0.064 IN. TH. 21 IN. SPAN		G2	STANDARD ITEM
2283	L.F.	PLAIN ST. CULV. PIPE ARCH 0.064 IN. TH. 28 IN. SPAN		G2	STANDARD ITEM
2279	L.F.	PLAIN ST. CULV. PIPE ARCH 0.064 IN. TH. 35 IN. SPAN		G2	STANDARD ITEM
2285	L.F.	PLAIN ST. CULV. PIPE ARCH 0.064 IN. TH. 42 IN. SPAN		G2	STANDARD ITEM
2286	L.F.	PLAIN ST. CULV. PIPE ARCH 0.079 IN. TH. 49 IN. SPAN		G2	STANDARD ITEM
2287	L.F.	PLAIN ST. CULV. PIPE ARCH 0.109 IN. TH. 57 IN. SPAN		G2	STANDARD ITEM
2288	L.F.	PLAIN ST. CULV. PIPE ARCH 0.109 IN. TH. 64 IN. SPAN		G2	STANDARD ITEM
2289	L.F.	PLAIN ST. CULV. PIPE ARCH 0.138 IN. TH. 71 IN. SPAN		G2	STANDARD ITEM
2290	L.F.	PLAIN ST. CULV. PIPE ARCH 0.168 IN. TH. 77 IN. SPAN		G2	STANDARD ITEM
2291	L.F.	PLAIN ST. CULV. PIPE ARCH 0.168 IN. TH. 83 IN. SPAN		G2	STANDARD ITEM
2305	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.064 IN. TH. 21 IN. SPAN		G2	STANDARD ITEM
2310	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.079 IN. TH. 49 IN. SPAN		G2	STANDARD ITEM
2311	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.109 IN. TH. 57 IN. SPAN		G2	STANDARD ITEM
2312	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.109 IN. TH. 64 IN. SPAN		G2	STANDARD ITEM
2313	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.138 IN. TH. 71 IN. SPAN		G2	STANDARD ITEM
2314	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.168 IN. TH. 77 IN. SPAN		G2	STANDARD ITEM
2317	L.F.	TR. 3 ST. CULV. PIPE ARCH 0.064 IN. TH. 21 IN. SPAN		G2	STANDARD ITEM
2344	L.F.	TR. 5 ST. CULV. PIPE ARCH 0.064 IN. TH. 35 IN. SPAN		G2	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
2345	L.F.	TR. 5 ST. CULV. PIPE ARCH 0.064 IN. TH. 42 IN. SPAN		G2	STANDARD ITEM
2347	L.F.	TR. 5 ST. CULV. PIPE ARCH 0.109 IN. TH. 57 IN. SPAN		G2	STANDARD ITEM
2417	L.F.	PLAIN AL. CULV. PIPE ARCH 0.135 IN. TH. 57 IN. SPAN		G2	STANDARD ITEM
2430	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 6 FT. 1 IN. SPAN		V4	STANDARD ITEM
2431	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 6 FT. 4 IN. SPAN		V4	STANDARD ITEM
2432	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 6 FT. 9 IN. SPAN		V4	STANDARD ITEM
2433	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 7 FT. 0 IN. SPAN		V4	STANDARD ITEM
2435	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 7 FT. 8 IN. SPAN		V4	STANDARD ITEM
2437	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 8 FT. 2 IN. SPAN		V4	STANDARD ITEM
2438	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 8 FT. 7 IN. SPAN		V4	STANDARD ITEM
2439	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 8 FT. 10 IN. SPAN		V4	STANDARD ITEM
2441	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 9 FT. 6 IN. SPAN		V4	STANDARD ITEM
2443	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 10 FT. 3 IN. SPAN		V4	STANDARD ITEM
2448	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 11 FT. 10 IN. SPAN		V4	STANDARD ITEM
2450	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 12 FT. 6 IN. SPAN		V4	STANDARD ITEM
2451	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 12 FT. 8 IN. SPAN		V4	STANDARD ITEM
2452	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 12 FT. 10 IN. SPAN		V4	STANDARD ITEM
2455	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 14 FT. 1 IN. SPAN		V4	STANDARD ITEM
2461	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 15 FT. 10 IN. SPAN		V4	STANDARD ITEM
2504	L.F.	ST. STR. PLATE ARCH 12 GAGE 10 FT. 0 IN. SPAN		V4	STANDARD ITEM
2522	L.F.	ST. STR. PLATE ARCH 10 GAGE 10 FT. 0 IN. SPAN		V4	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 4 DRAINAGE</b>					
2550	L.F.	ST. STR. PLATE ARCH 8 GAGE 20 FT. 0 IN. SPAN		V4	STANDARD ITEM
2586	L.F.	ST. STR. PLATE ARCH 5 GAGE 20 FT. 0 IN. SPAN		V4	STANDARD ITEM
2900	L.F.	DESIGN 1 ST. UNDERPASS 12 GAGE 6 FT. 8 IN. SPAN		V4	STANDARD ITEM
2901	L.F.	DESIGN 1 ST. UNDERPASS 12 GAGE 6 FT. 10 IN. SPAN		V4	STANDARD ITEM
2909	L.F.	DESIGN 2 ST. UNDERPASS 12 GAGE 14 FT. 10 IN. SPAN		V4	STANDARD ITEM
2911	L.F.	DESIGN 2 ST. UNDERPASS 10 GAGE 12 FT. 2 IN. SPAN		V4	STANDARD ITEM
2917	L.F.	DESIGN 2 ST. UNDERPASS 10 GAGE 14 FT. 10 IN. SPAN		V4	STANDARD ITEM
2924	L.F.	DESIGN 2 ST. UNDERPASS 10 GAGE 18 FT. 4 IN. SPAN		V4	STANDARD ITEM
2938	L.F.	DESIGN 2 ST. UNDERPASS 8 GAGE 18 FT. 4 IN. SPAN		V4	STANDARD ITEM
3025	L.S.	PRECAST REINF. CONC. BOX CULVERT NO.----- (19)		E0	STANDARD ITEM
3026	L.S.	PRECAST REINF. CONC. SPLIT BOX CULVERT NO.----- (13)		E0	STANDARD ITEM
4345	L.S.	PRECAST REINF. CONC. THREE SIDED STRUCTURE NO.----- (9)		E0	STANDARD ITEM
3030	C.Y.	CULVERT BEDDING MATERIAL		E0	STANDARD ITEM
3075	L.S.	TEMPORARY STREAM DIVERSION----- (29)		J6	STANDARD ITEM
3076	EST.	FISH EXCLUSION		A1	GSP ITEM
3077	EST.	FISH EXCLUSION ASSISTANCE		A1	STANDARD ITEM
3078	EST.	FISH BLOCK NET MAINTENANCE		A1	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 5 STORM SEWER</b>					
3090	EACH	CATCH BASIN TYPE----- (39)		T8	STANDARD ITEM
3091	EACH	CATCH BASIN TYPE 1		T8	STANDARD ITEM
3105	EACH	CATCH BASIN TYPE 2 48 IN. DIAM.		T8	STANDARD ITEM
3106	EACH	CATCH BASIN TYPE 2 54 IN. DIAM.		T8	STANDARD ITEM
3109	EACH	CATCH BASIN TYPE 2 60 IN. DIAM.		T8	STANDARD ITEM
3107	EACH	CATCH BASIN TYPE 2 72 IN. DIAM.		T8	STANDARD ITEM
3104	EACH	CATCH BASIN TYPE 2 84 IN. DIAM.		T8	STANDARD ITEM
3108	EACH	CATCH BASIN TYPE 2 96 IN. DIAM.		T8	STANDARD ITEM
3093	EACH	CATCH BASIN TYPE 3		T8	STANDARD ITEM
3151	L.F.	TESTING STORM SEWER PIPE		T8	STANDARD ITEM
3390	L.F.	PLAIN CONC. STORM SEWER PIPE 4 IN. DIAM.		T8	STANDARD ITEM
3391	L.F.	PLAIN CONC. STORM SEWER PIPE 6 IN. DIAM.		T8	STANDARD ITEM
3392	L.F.	PLAIN CONC. STORM SEWER PIPE 8 IN. DIAM.		T8	STANDARD ITEM
3393	L.F.	PLAIN CONC. STORM SEWER PIPE 10 IN. DIAM.		T8	STANDARD ITEM
3394	L.F.	PLAIN CONC. STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3395	L.F.	PLAIN CONC. STORM SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM
3396	L.F.	PLAIN CONC. STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3397	L.F.	PLAIN CONC. STORM SEWER PIPE 21 IN. DIAM.		T8	STANDARD ITEM
3398	L.F.	PLAIN CONC. STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3405	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3407	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 5 STORM SEWER</b>					
3408	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 21 IN. DIAM.		T8	STANDARD ITEM
3409	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3411	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM
3413	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM
3414	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 42 IN. DIAM.		T8	STANDARD ITEM
3415	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM
3416	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 54 IN. DIAM.		T8	STANDARD ITEM
3417	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 60 IN. DIAM.		T8	STANDARD ITEM
3419	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 72 IN. DIAM.		T8	STANDARD ITEM
3430	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3432	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3434	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3436	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM
3438	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM
3439	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 42 IN. DIAM.		T8	STANDARD ITEM
3455	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3456	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM
3457	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3458	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 21 IN. DIAM.		T8	STANDARD ITEM
3459	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3461	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 5 STORM SEWER</b>					
3463	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM
3464	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 42 IN. DIAM.		T8	STANDARD ITEM
3465	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM
3467	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 60 IN. DIAM.		T8	STANDARD ITEM
3469	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 72 IN. DIAM.		T8	STANDARD ITEM
3471	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 84 IN. DIAM.		T8	STANDARD ITEM
3480	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3482	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3483	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 21 IN. DIAM.		T8	STANDARD ITEM
3484	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3486	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM
3488	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM
3490	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM
3494	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 72 IN. DIAM.		T8	STANDARD ITEM
3541	L.F.	SCHEDULE A STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3542	L.F.	SCHEDULE A STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3543	L.F.	SCHEDULE A STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3544	L.F.	SCHEDULE A STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM
3545	L.F.	SCHEDULE A STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM
3546	L.F.	SCHEDULE A STORM SEWER PIPE 42 IN. DIAM.		T8	STANDARD ITEM
3547	L.F.	SCHEDULE A STORM SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 5 STORM SEWER</b>					
3550	L.F.	SCHEDULE B STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3551	L.F.	SCHEDULE B STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3552	L.F.	SCHEDULE B STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3553	L.F.	SCHEDULE B STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM
3554	L.F.	SCHEDULE B STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM
3555	L.F.	SCHEDULE B STORM SEWER PIPE 42 IN. DIAM.		T8	STANDARD ITEM
3556	L.F.	SCHEDULE B STORM SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM
3502	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 12 IN. DIAM.		T8	STANDARD ITEM
3503	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 15 IN. DIAM.		T8	STANDARD ITEM
3504	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 18 IN. DIAM.		T8	STANDARD ITEM
3506	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 24 IN. DIAM.		T8	STANDARD ITEM
3507	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 30 IN. DIAM.		T8	STANDARD ITEM
3508	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 36 IN. DIAM.		T8	STANDARD ITEM
3510	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 48 IN. DIAM.		T8	STANDARD ITEM
3519	L.F.	TR. 5 ST. STORM SEWER PIPE 0.079 IN. TH. 24 IN. DIAM.		T8	STANDARD ITEM
3530	L.F.	TR. 5 ST. STORM SEWER PIPE 0.109 IN. TH. 18 IN. DIAM.		T8	STANDARD ITEM
3532	L.F.	TR. 5 ST. STORM SEWER PIPE 0.109 IN. TH. 30 IN. DIAM.		T8	STANDARD ITEM
3533	L.F.	TR. 5 ST. STORM SEWER PIPE 0.109 IN. TH. 36 IN. DIAM.		T8	STANDARD ITEM
3537	L.F.	TR. 5 ST. STORM SEWER PIPE 0.109 IN. TH. 60 IN. DIAM.		T8	STANDARD ITEM
3575	L.F.	TR. 5 AL. STORM SEWER PIPE 0.075 IN. TH. 12 IN. DIAM.		T8	STANDARD ITEM
3577	L.F.	SOLID WALL PVC STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM



## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 5 STORM SEWER</b>					
3578	L.F.	SOLID WALL PVC STORM SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM
3579	L.F.	SOLID WALL PVC STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3582	L.F.	SOLID WALL PVC STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3583	L.F.	SOLID WALL PVC STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM
3592	L.F.	PROFILE WALL PVC STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3593	L.F.	PROFILE WALL PVC STORM SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM
3594	L.F.	PROFILE WALL PVC STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3597	L.F.	PROFILE WALL PVC STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3598	L.F.	PROFILE WALL PVC STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM
3602	L.F.	CORRUGATED POLYETHYLENE STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3603	L.F.	CORRUGATED POLYETHYLENE STORM SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM
3607	L.F.	CORRUGATED POLYETHYLENE STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3608	L.F.	CORRUGATED POLYETHYLENE STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3609	L.F.	CORRUGATED POLYETHYLENE STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM
3616	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 24 IN. DIAM		T8	STANDARD ITEM
3617	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 30 IN. DIAM		T8	STANDARD ITEM
3618	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 36 IN. DIAM		T8	STANDARD ITEM
3633	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 42 IN. DIAM		T8	STANDARD ITEM
3634	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 48 IN. DIAM		T8	STANDARD ITEM
3635	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 54 IN. DIAM		T8	STANDARD ITEM
3636	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 60 IN. DIAM		T8	STANDARD ITEM

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 5 STORM SEWER</b>					
3637	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 66 IN. DIAM		T8	STANDARD ITEM
3638	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 72 IN. DIAM		T8	STANDARD ITEM
3560	L.F.	POLYPROPYLENE STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3562	L.F.	POLYPROPYLENE STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3564	L.F.	POLYPROPYLENE STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3566	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3567	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3568	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3569	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 30 IN. DIAM.		T8	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 6 SANITARY SEWER</b>					
3640	EACH	SEWER CLEANOUT		T8	STANDARD ITEM
3152	L.F.	TESTING SEWER PIPE		T8	STANDARD ITEM
3651	L.F.	PLAIN CONC. OR V.C. SEWER PIPE 6 IN. DIAM.		T8	STANDARD ITEM
3654	L.F.	PLAIN CONC. OR V.C. SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3655	L.F.	PLAIN CONC. OR V.C. SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM
3657	L.F.	PLAIN CONC. OR V.C. SEWER PIPE 21 IN. DIAM.		T8	STANDARD ITEM
3706	L.F.	CL. IV REINF. CONC. SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM
3715	L.F.	CL. IV REINF. CONC. SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM
3725	L.F.	CL. V REINF. CONC. SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3727	L.F.	CL. V REINF. CONC. SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3729	L.F.	CL. V REINF. CONC. SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3731	L.F.	CL. V REINF. CONC. SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM
3735	L.F.	CL. V REINF. CONC. SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM
3765	L.F.	PVC SANITARY SEWER PIPE 4 IN. DIAM.		T8	STANDARD ITEM
3766	L.F.	PVC SANITARY SEWER PIPE 6 IN. DIAM.		T8	STANDARD ITEM
3767	L.F.	PVC SANITARY SEWER PIPE 8 IN. DIAM.		T8	STANDARD ITEM
3768	L.F.	PVC SANITARY SEWER PIPE 10 IN. DIAM.		T8	STANDARD ITEM
3769	L.F.	PVC SANITARY SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3770	L.F.	DUCTILE IRON SEWER PIPE 4 IN. DIAM.		T8	STANDARD ITEM
3771	L.F.	DUCTILE IRON SEWER PIPE 6 IN. DIAM.		T8	STANDARD ITEM
3772	L.F.	DUCTILE IRON SEWER PIPE 8 IN. DIAM.		T8	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 6 SANITARY SEWER</b>					
3773	L.F.	DUCTILE IRON SEWER PIPE 10 IN. DIAM.		T8	STANDARD ITEM
3774	L.F.	DUCTILE IRON SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3776	L.F.	DUCTILE IRON SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
3781	L.F.	ABS COMPOSITE SEWER PIPE----- (31)		T8	STANDARD ITEM
3794	L.F.	POLYPROPYLENE SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM
3796	L.F.	POLYPROPYLENE SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM
3798	L.F.	POLYPROPYLENE SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM
2826	L.S.	VTS SEWER SYSTEM		T8	WSF ITEM REQ. SPECIAL PRO

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 7 WATER LINES</b>					
3800	C.Y.	ROCK EXCAVATION		X2	STANDARD ITEM
3806	C.Y.	EXTRA TRENCH EXCAVATION		X2	STANDARD ITEM
3810	C.Y.	REMOVAL AND REPLACEMENT OF UNSUITABLE MATERIAL		X2	STANDARD ITEM
3815	C.Y.	BANK RUN GRAVEL FOR TRENCH BACKFILL		X2	STANDARD ITEM
6150	EACH	GATE VALVE 4 IN.		X2	STANDARD ITEM
6155	EACH	GATE VALVE 6 IN.		X2	STANDARD ITEM
6160	EACH	GATE VALVE 8 IN.		X2	STANDARD ITEM
6162	EACH	GATE VALVE 10 IN.		X2	STANDARD ITEM
6165	EACH	GATE VALVE 12 IN.		X2	STANDARD ITEM
6167	EACH	GATE VALVE----- (45)		X2	STANDARD ITEM
3820	EACH	BUTTERFLY VALVE 12 IN.		X2	STANDARD ITEM
3821	EACH	BUTTERFLY VALVE 14 IN.		X2	STANDARD ITEM
3822	EACH	BUTTERFLY VALVE 16 IN.		X2	STANDARD ITEM
3823	EACH	BUTTERFLY VALVE 18 IN.		X2	STANDARD ITEM
3825	EACH	BUTTERFLY VALVE 24 IN.		X2	STANDARD ITEM
3827	EACH	BUTTERFLY VALVE 36 IN.		X2	STANDARD ITEM
3835	EACH	COMB. AIR RELEASE/AIR VACUUM VALVE ASSEMBLY 1 IN.		X2	STANDARD ITEM
3837	EACH	COMB. AIR RELEASE/AIR VACUUM VALVE ASSEMBLY 2 IN.		X2	STANDARD ITEM
3838	EACH	BLOWOFF ASSEMBLY		X2	STANDARD ITEM
3842	EACH	TAPPING SLEEVE AND VALVE ASSEMBLY 6 IN.		X2	STANDARD ITEM
3843	EACH	TAPPING SLEEVE AND VALVE ASSEMBLY 8 IN.		X2	STANDARD ITEM

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 7 WATER LINES</b>					
3846	EACH	HYDRANT ASSEMBLY		X2	STANDARD ITEM
3848	EACH	RESETTING EXISTING HYDRANTS		X2	STANDARD ITEM
3850	EACH	MOVING EXISTING HYDRANTS		X2	STANDARD ITEM
3852	EACH	RECONNECTING EXISTING HYDRANTS		X2	STANDARD ITEM
3854	L.F.	HYDRANT EXTENSIONS		X2	STANDARD ITEM
3857	EACH	SERVICE CONNECTION 3/4 IN. DIAM.		X2	STANDARD ITEM
3858	EACH	SERVICE CONNECTION 1 IN. DIAM.		X2	STANDARD ITEM
3859	EACH	SERVICE CONNECTION 1-1/4 IN. DIAM.		X2	STANDARD ITEM
3861	EACH	SERVICE CONNECTION 2 IN. DIAM.		X2	STANDARD ITEM
3865	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 4 IN. DIAM.		X2	STANDARD ITEM
3866	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 6 IN. DIAM.		X2	STANDARD ITEM
3867	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 8 IN. DIAM.		X2	STANDARD ITEM
3868	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 10 IN. DIAM.		X2	STANDARD ITEM
3869	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 12 IN. DIAM.		X2	STANDARD ITEM
3870	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 14 IN. DIAM.		X2	STANDARD ITEM
3871	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 16 IN. DIAM.		X2	STANDARD ITEM
3872	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 18 IN. DIAM.		X2	STANDARD ITEM
3874	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 24 IN. DIAM.		X2	STANDARD ITEM
3875	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 30 IN. DIAM.		X2	STANDARD ITEM
3876	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 36 IN. DIAM.		X2	STANDARD ITEM
3901	L.F.	CONC. CYLINDER PIPE FOR WATER MAIN 36 IN. DIAM.		X2	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 7 WATER LINES</b>					
3910	L.F.	ST. PIPE FOR WATER MAIN 4 IN. DIAM.		X2	STANDARD ITEM
3911	L.F.	ST. PIPE FOR WATER MAIN 6 IN. DIAM.		X2	STANDARD ITEM
3932	L.F.	PVC PIPE FOR WATER MAIN 3 IN. DIAM.		X2	STANDARD ITEM
3933	L.F.	PVC PIPE FOR WATER MAIN 4 IN. DIAM.		X2	STANDARD ITEM
3934	L.F.	PVC PIPE FOR WATER MAIN 6 IN. DIAM		X2	STANDARD ITEM
3935	L.F.	PVC PIPE FOR WATER MAIN 8 IN. DIAM		X2	STANDARD ITEM
3937	L.F.	PVC PIPE FOR WATER MAIN 12 IN. DIAM.		X2	STANDARD ITEM
2827	L.S.	VTS WATER SUPPLY SYSTEM		X2	WSF ITEM REQ. SPECIAL PRO

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
4001	L.S.	TEMPORARY BRIDGE----- (39)		B0	GSP ITEM
4005	C.Y.	STRUCTURE EXCAVATION CLASS A		I2	STANDARD ITEM
4006	C.Y.	STRUCTURE EXCAVATION CLASS A INCL. HAUL		I2	STANDARD ITEM
4009	L.F.	ROCK EXCAVATION FOR SHAFT INCLUDING HAUL		T0	STANDARD ITEM
4010	C.Y.	SPECIAL EXCAVATION----- (37)		I2	REQUIRES SPECIAL PROV.
4013	L.S.	SHORING OR EXTRA EXCAVATION CL. A----- (22)		I2	STANDARD ITEM
4025	C.Y.	GRAVEL BACKFILL FOR WALL		I2	STANDARD ITEM
4084	L.F.	CONSTRUCTING 4 FT. DIAM SHAFT		T0	STD. ITEM, GSP REQUIRED
4086	L.F.	CONSTRUCTING 5 FT. DIAM SHAFT		T0	STD. ITEM, GSP REQUIRED
4087	L.F.	CONSTRUCTING 6 FT. DIAM SHAFT		T0	STD. ITEM, GSP REQUIRED
4088	L.F.	CONSTRUCTING 7 FT. DIAM SHAFT		T0	STD. ITEM, GSP REQUIRED
4089	L.F.	CONSTRUCTING 8 FT. DIAM SHAFT		T0	STD. ITEM, GSP REQUIRED
4091	L.F.	CONSTRUCTING 9 FT. DIAM SHAFT		T0	STD. ITEM, GSP REQUIRED
4092	L.F.	CONSTRUCTING 10 FT. DIAM SHAFT		T0	STD. ITEM, GSP REQUIRED
4093	L.F.	CONSTRUCTING 11 FT. DIAM SHAFT		T0	STD. ITEM, GSP REQUIRED
4094	L.F.	CONSTRUCTING 12 FT. DIAM SHAFT		T0	STD. ITEM, GSP REQUIRED
4046	MGAL	FRESH WATER FOR SHAFT SLURRY		A1	GSP ITEM
4047	L.F.	SHAFT - 24 IN. DIAMETER		T0	STANDARD ITEM
4048	L.F.	SHAFT - 30 IN. DIAMETER		T0	STANDARD ITEM
4049	L.F.	SHAFT - 36 IN. DIAMETER		T0	STANDARD ITEM
4050	L.F.	SHAFT - 42 IN. DIAMETER		T0	STANDARD ITEM



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
4053	L.F.	FURNISHING SOLDIER PILE----- (32)		T0	STANDARD ITEM
4054	L.F.	PREBORING FOR 12 IN. DIAM. CONC. PILE		Q4	GSP ITEM
4056	L.F.	PREBORING FOR 14 IN. DIAM. CONC. PILE		Q4	GSP ITEM
4057	L.F.	PREBORING FOR 16 IN. DIAM. CONC. PILE		Q4	GSP ITEM
4058	L.F.	PREBORING FOR 18 IN. DIAM. CONC. PILE		Q4	GSP ITEM
4059	L.F.	PREBORING FOR 20 IN. DIAM. CONC. PILE		Q4	GSP ITEM
4061	L.F.	PREBORING FOR 24 IN. DIAM. CONC. PILE		Q4	GSP ITEM
4062	L.F.	PREBORING FOR 30 IN. DIAM. CONC. PILE		Q4	GSP ITEM
4063	L.F.	PREBORING FOR ST. PILE		Q4	GSP ITEM
4064	L.F.	PREBORING FOR TIMBER PILE		Q4	GSP ITEM
4060	EACH	FURNISHING AND DRIVING CONCRETE TEST PILE		Q4	STANDARD ITEM
4070	L.F.	FURNISHING CONC. PILING----- (32)		Q4	STANDARD ITEM
4080	EACH	DRIVING CONC. PILE----- (37)		Q4	STANDARD ITEM
4085	EACH	FURNISHING AND DRIVING STEEL TEST PILE		Q4	STANDARD ITEM
4090	L.F.	FURNISHING ST. PILING----- (34)		Q4	STANDARD ITEM
4095	EACH	DRIVING ST. PILE----- (39)		Q4	STANDARD ITEM
8376	EACH	FURNISHING STEEL PILE TIP OR SHOE----- (22)		Q4	STANDARD ITEM
8378	EACH	PRECAST CONCRETE PILE BUILDUP		Q4	STANDARD ITEM
4100	EACH	FURNISHING AND DRIVING TIMBER TEST PILE		Q4	STANDARD ITEM
4105	L.F.	FURNISHING TIMBER PILING - UNTREATED		Q4	STANDARD ITEM
4107	L.F.	FURNISHING TIMBER PILING----- (31)		Q4	STANDARD ITEM

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
4108	EACH	DRIVING TIMBER PILE - UNTREATED		Q4	STANDARD ITEM
4111	EACH	DRIVING TIMBER PILE ----- (35)		Q4	STANDARD ITEM
4116	EACH	PILE SPLICE - TIMBER		Q4	REQUIRES SPECIAL PROV.
4115	EACH	DRIVING TIMBER COMPOSITE PILE		Q4	REQUIRES SPECIAL PROV.
4130	EACH	PLACING PRESTRESSED HOLLOW CONC. PILE----- (18)		Q4	STANDARD ITEM
4140	EACH	DRIVING PRESTRESSED HOLLOW CONC. PILE----- (18)		Q4	STANDARD ITEM
4157	EACH	MICROPILE		V7	GSP ITEM
4193	EACH	MICROPILE VERIFICATION LOAD TESTING		V7	GSP ITEM
4194	EACH	MICROPILE PROOF LOAD TESTING		V7	GSP ITEM
4147	LB.	EPOXY-COATED ST. REINF. BAR		U0	STANDARD ITEM
4148	LB.	EPOXY-COATED ST. REINF. BAR FOR BRIDGE		U0	STANDARD ITEM
4142	LB.	EPOXY-COATED ST. REINF. BAR - SUPERSTR.		U0	STANDARD ITEM
4143	LB.	EPOXY-COATED ST. REINF. BAR - SUPERSTR. INCL. TRAF. BAR.		U0	STANDARD ITEM
4141	LB.	EPOXY-COATED ST. REINF. BAR FOR RETAINING WALL		U0	GSP ITEM
4138	LB.	EPOXY-COATED ST. REINF. BAR FOR PRECAST RETAINING WALL		U0	GSP ITEM
4144	LB.	EPOXY-COATED ST. REINF. BAR----- (28)		U0	STANDARD ITEM
4149	LB.	ST. REINF. BAR FOR BRIDGE		U0	STANDARD ITEM
4145	LB.	ST. REINF. BAR - SUPERSTR.		U0	STANDARD ITEM
4146	LB.	ST. REINF. BAR - SUPERSTR. INCL. TRAF. BAR.		U0	STANDARD ITEM
4150	LB.	ST. REINF. BAR FOR RETAINING WALL		U0	GSP ITEM
4136	LB.	ST. REINF. BAR FOR PRECAST RETAINING WALL		U0	GSP ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
4151	LB.	ST. REINF. BAR-----	(41)	U0	STANDARD ITEM
4160	EACH	QA SHAFT TEST		T0	STANDARD ITEM
4166	C.Y.	LEAN CONCRETE		E0	STANDARD ITEM
4200	C.Y.	CONC. CLASS 3000 FOR-----	(35)	E0	STANDARD ITEM
4202	C.Y.	CONC. CLASS 4000 FOR-----	(35)	E0	STANDARD ITEM
4322	C.Y.	CONC. CLASS 4000 FOR BRIDGE		B0	STANDARD ITEM
4153	C.Y.	CONC. CLASS 4000 - SUPERSTR.		B0	STANDARD ITEM
4155	C.Y.	CONC. CLASS 4000 TRAFFIC BARRIER - SUPERSTR.		B0	STANDARD ITEM
4156	C.Y.	CONC. CLASS 4000 - SUPERSTR. INCL. TRAF. BAR.		B0	STANDARD ITEM
4139	C.Y.	CONC. CLASS 4000 FOR RETAINING WALL		B0	GSP ITEM
4137	C.Y.	CONC. CLASS 7000 FOR PRECAST RETAINING WALL		B0	GSP ITEM
4204	C.Y.	CONC. CLASS 4000W FOR-----	(34)	E0	STANDARD ITEM
4324	C.Y.	CONC. CLASS 4000W FOR BRIDGE		B0	STANDARD ITEM
4380	C.Y.	CONC. CLASS 4000D FOR BRIDGE		B0	STANDARD ITEM
4205	C.Y.	CONC. CLASS 5000 FOR-----	(35)	E0	STANDARD ITEM
4325	C.Y.	CONC. CLASS 5000 FOR BRIDGE		B0	STANDARD ITEM
4158	C.Y.	CONC. CLASS 5000 - SUPERSTR.		B0	STANDARD ITEM
4207	C.Y.	CONC. CLASS 6000 FOR-----	(35)	E0	STANDARD ITEM
4327	C.Y.	CONC. CLASS 6000 FOR BRIDGE		B0	STANDARD ITEM
4370	C.Y.	CONC. CLASS 6000 - SUPERSTR.		B0	STANDARD ITEM
4161	C.Y.	CONC. CLASS 4000 - BOX GIRDER - SUPERSTR.		B0	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
4162	C.Y.	CONC. CLASS 5000 - BOX GIRDER - SUPERSTR.		B0	STANDARD ITEM
4375	C.Y.	CONC. CLASS 6000 - BOX GIRDER - SUPERSTR.		B0	STANDARD ITEM
4269	L.F.	PRESTRESSED CONC. GIRDER----- (31)		R8	STANDARD ITEM
4278	LB.	PRESTRESSING BAR - SUPERSTR.		B0	REQUIRES SPECIAL PROV.
4279	LB.	PRESTRESSING STRAND - SUPERSTR.		B0	REQUIRES SPECIAL PROV.
4219	CALC	DEFICIENT STRENGTH CONC. PRICE ADJUSTMENT		B0	STANDARD ITEM
4236	L.S.	POLYESTER CONCRETE TRIAL OVERLAY		B6	REQUIRES SPECIAL PROV.
4232	C.F.	MODIFIED CONC. OVERLAY		B6	STANDARD ITEM
4233	S.Y.	FINISHING AND CURING MODIFIED CONC. OVERLAY		B6	STANDARD ITEM
4195	S.Y.	EXPOSED AGG. FINISH		B0	REQUIRES SPECIAL PROV.
4196	S.Y.	PERMEON TREATMENT		B0	STANDARD ITEM
4230	L.S.	STRUCTURAL CARBON STEEL		H8	STANDARD ITEM
4286	LB.	STRUCTURAL CARBON STEEL - SUPERSTR.		H8	STANDARD ITEM
4235	L.S.	STRUCTURAL LOW ALLOY STEEL		H8	STANDARD ITEM
4240	L.S.	STRUCTURAL HIGH STRENGTH STEEL		H8	STANDARD ITEM
4288	LB.	STRUCTURAL HIGH STRENGTH STEEL - SUPERSTR.		H8	STANDARD ITEM
4245	L.S.	CAST STEEL		H8	STANDARD ITEM
4246	LB.	CAST STEEL		H8	STANDARD ITEM
4292	LB.	CAST STEEL - SUPERSTR.		H8	STANDARD ITEM
4250	L.S.	FORGED STEEL		H8	STANDARD ITEM
4293	LB.	FORGED STEEL - SUPERSTR.		H8	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
4251	LB.	FORGED STEEL		H8	STANDARD ITEM
4255	L.S.	CAST IRON		M2	STANDARD ITEM
4256	LB.	CAST IRON		M2	STANDARD ITEM
4294	LB.	CAST IRON - SUPERSTR.		M2	STANDARD ITEM
4260	L.S.	MALLEABLE IRON		M2	STANDARD ITEM
4261	LB.	MALLEABLE IRON		M2	STANDARD ITEM
4295	LB.	MALLEABLE IRON - SUPERSTR.		M2	STANDARD ITEM
4264	L.S.	DUCTILE IRON		M2	STANDARD ITEM
4267	LB.	DUCTILE IRON		M2	STANDARD ITEM
4296	LB.	DUCTILE IRON - SUPERSTR.		M2	STANDARD ITEM
4270	L.S.	CAST BRONZE		M2	STANDARD ITEM
4271	LB.	CAST BRONZE		M2	STANDARD ITEM
4297	LB.	CAST BRONZE - SUPERSTR.		M2	STANDARD ITEM
4299	S.F.	LAGGING		V0	STANDARD ITEM
4280	MBM	TIMBER AND LUMBER - UNTREATED		V0	STANDARD ITEM
4302	mBm	TIMBER AND LUMBER - UNTREATED - SUPERSTR.		V0	STANDARD ITEM
4282	mBm	TIMBER AND LUMBER - CREOSOTE TREATED		V0	STANDARD ITEM
4303	mBm	TIMBER AND LUMBER - CREOSOTE TREATED - SUPERSTR.		V0	STANDARD ITEM
4284	MBM	TIMBER AND LUMBER - SALTS TREATED		V0	STANDARD ITEM
4304	mBm	TIMBER AND LUMBER - SALTS TREATED - SUPERSTR.		V0	STANDARD ITEM
4305	mBm	GLULAM DECK PANELS - SUPERSTR.		V0	REQUIRES SPECIAL PROV.

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
4290	L.S.	STRUCTURAL METAL		H8	STANDARD ITEM
4306	EACH	ELASTOMERIC PAD - SUPERSTR.		H8	REQUIRES SPECIAL PROV.
4307	EACH	FABRIC PAD BEARING - SUPERSTR.		H8	STANDARD ITEM
4308	EACH	PIN BEARING - SUPERSTR.		H8	STANDARD ITEM
4319	EACH	TRANSVERSE STOP BEARING		H8	STANDARD ITEM
4312	EACH	DISC BEARING - SUPERSTR.		H8	STANDARD ITEM
4313	EACH	SPHERICAL BEARING - SUPERSTR.		H8	STANDARD ITEM
4316	EACH	ROCKER BEARING - SUPERSTR.		H8	REQUIRES SPECIAL PROV.
4330	L.S.	SEISMIC RETROFIT----- (39)		B0	GSP ITEM
4331	L.S.	COLUMN JACKETING----- (39)		B0	GSP ITEM
4333	EACH	LONGITUDINAL SEISMIC RESTRAINER		B0	GSP ITEM
4334	L.S.	AGENCY DESIGNED BURIED STRUCTURE NO.----- (19)		B0	STANDARD ITEM
4335	L.S.	CONTRACTOR DESIGNED BURIED STRUCTURE NO.----- (15)		B0	STANDARD ITEM
4336	L.S.	COMPOSITE ARCH SYSTEM		B0	STD. ITEM, GSP REQUIRED
4300	L.S.	SUPERSTRUCTURE----- (41)		B0	STANDARD ITEM
4329	L.S.	BRIDGE DECK----- (44)		B0	STD. ITEM, GSP REQUIRED
4400	L.F.	ST. HAND RAIL----- (42)		M2	REQUIRES SPECIAL PROV.
4355	L.F.	STEEL HANDRAIL - SUPERSTR.		M2	REQUIRES SPECIAL PROV.
4410	L.F.	BRIDGE RAILING TYPE----- (36)		B0	STANDARD ITEM
4360	L.F.	BRIDGE RAILING TYPE BP - SUPERSTR.		B0	STANDARD ITEM
4361	L.F.	BRIDGE RAILING TYPE BP-B - SUPERSTR.		B0	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
4412	L.F.	BRIDGE RAILING TYPE CHAIN LINK FENCE		I6	STANDARD ITEM
4357	L.F.	BRIDGE RAIL LOW FENCE TYPE - SUPERSTR.		I6	REQUIRES SPECIAL PROV.
4415	L.F.	TRAFFIC BARRIER		D0	STANDARD ITEM
4365	L.F.	TRAFFIC BARRIER - SUPERSTR.		D0	REQUIRES SPECIAL PROV.
4416	L.F.	BARRIER		D0	REQUIRES SPECIAL PROV.
4114	L.F.	TRAFFIC PEDESTRIAN BARRIER		D0	STANDARD ITEM
4117	L.F.	PEDESTRIAN BARRIER		D0	STANDARD ITEM
4119	L.F.	SEW TRAFFIC BARRIER		D0	STANDARD ITEM
4120	L.F.	SEW PEDESTRIAN BARRIER		D0	STANDARD ITEM
4121	L.F.	GEOSYNTHETIC WALL SINGLE SLOPE TRAFFIC BARRIER		D0	STANDARD ITEM
4122	L.F.	GEOSYNTHETIC WALL F - SHAPE TRAFFIC BARRIER		D0	STANDARD ITEM
4123	L.F.	GEOSYNTHETIC RETAINING WALL PEDESTRIAN BARRIER		D0	STANDARD ITEM
4433	EACH	MODIFY BRIDGE DRAIN		B0	GSP ITEM
4434	EACH	PLUGGING EXISTING BRIDGE DRAIN		B0	GSP ITEM
4337	EACH	PLUGGING EXISTING BRIDGE DRAIN - SUPERSTR.		B0	REQUIRES SPECIAL PROV.
4338	L.F.	EXPANSION JOINT SYSTEM COMPRESSION SEAL - SUPERSTR.		B0	STANDARD ITEM
4339	L.F.	EXPANSION JOINT SYSTEM STRIP SEAL - SUPERSTR.		B0	STANDARD ITEM
4441	L.S.	MODULAR EXPANSION JOINT SYSTEM----- (25)		B0	STD. ITEM, GSP REQUIRED
4442	L.S.	EXPANSION JOINT MODIFICATION----- (27)		B6	GSP ITEM
4443	L.S.	EXPANSION JOINT MODIFICATION		B6	REQUIRES SPECIAL PROV.
4444	L.F.	EXPANSION JOINT MODIFICATION----- (26)		B6	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
4451	S.F.	BRIDGE DECK REPAIR BR. NO.----- (29)		B6	STANDARD ITEM
4447	GAL.	EPOXY RESIN		H6	GSP ITEM
4449	L.F.	EPOXY CRACK SEALING		H6	GSP ITEM
4450	S.Y.	WATERPROOFING		O8	REQUIRES SPECIAL PROV.
4455	S.Y.	WATERPROOF MEMBRANE BR. NO.----- (28)		X4	STANDARD ITEM
4456	S.Y.	SCARIFYING CONC. SURFACE----- (31)		B6	STANDARD ITEM
4458	S.Y.	REMOVING EXISTING CONCRETE OVERLAY		B6	REQUIRES SPECIAL PROV.
4463	EST.	FORCE ACCOUNT FORMS FOR FULL DEPTH DECK REPAIR		B6	GSP ITEM
4465	S.F.	TYPE 1 DECK REPAIR		B6	STANDARD ITEM
4467	S.F.	TYPE 2 DECK REPAIR		B6	STANDARD ITEM
4468	L.S.	CLEANING AND PAINTING----- (34)		P4	STANDARD ITEM
4471	L.S.	CLEANING AND PAINTING----- (34)		P4	STANDARD ITEM
4487	L.F.	SEALING AND CAULKING PACK RUST		P4	STANDARD ITEM
4488	S.F.	SPOT ABRASIVE BLAST CLEANING		P4	STANDARD ITEM
4469	L.S.	CONTAINMENT OF ABRASIVES		P4	STANDARD ITEM
4470	EST.	TESTING AND DISPOSAL OF CONTAINMENT WASTE		P4	STANDARD ITEM
4472	S.F.	NOISE BARRIER WALL TYPE----- (32)		E0	STANDARD ITEM
4473	EACH	NOISE BARRIER WALL ACCESS DOOR		F0	STANDARD ITEM
4474	S.F.	CONCRETE FASCIA PANEL		B0	STANDARD ITEM
4480	S.F.	CONCRETE FASCIA PANEL FOR GEOSYNTHETIC WALL		B0	STANDARD ITEM
4478	EACH	SOIL NAIL - EPOXY COATED		V7	STANDARD ITEM



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
4479	EACH	SOIL NAIL - ENCAPSULATED		V7	STANDARD ITEM
4486	EACH	SOIL NAIL VERIFICATION TEST AND SOIL NAIL PROOF TEST		V7	STANDARD ITEM
4482	S.Y.	PREFABRICATED DRAINAGE MAT		G2	STANDARD ITEM
4483	EACH	PERMANENT GROUND ANCHOR		V7	STANDARD ITEM
4484	EACH	PERMANENT GROUND ANCHOR PERFORMANCE TEST		V7	STANDARD ITEM
4485	L.S.	PERMANENT GROUND ANCHOR VERIFICATION TEST		V7	STANDARD ITEM
7169	S.F.	STRUCTURAL EARTH WALL		E0	STANDARD ITEM
5656	S.Y.	BRIDGE APPROACH SLAB		B0	STANDARD ITEM
8920	L.F.	FURNISHING ST. PILING 24 IN. DIAM.----- (21)		Q4	WSF ITEM REQ. SPECIAL PRO
8921	L.F.	FURNISHING ST. PILING 30 IN. DIAM.----- (21)		Q4	WSF ITEM REQ. SPECIAL PRO
8922	L.F.	FURNISHING ST. PILING 36 IN. DIAM.----- (21)		Q4	WSF ITEM REQ. SPECIAL PRO
8925	L.F.	FABRICATING ST. PILING 24 IN. DIAM.----- (20)		Q4	WSF ITEM REQ. SPECIAL PRO
8926	L.F.	FABRICATING ST. PILING 30 IN. DIAM.----- (20)		Q4	WSF ITEM REQ. SPECIAL PRO
8927	L.F.	FABRICATING ST. PILING 36 IN. DIAM.----- (20)		Q4	WSF ITEM REQ. SPECIAL PRO
8930	EACH	DRIVING ST. PILE 24 IN. DIAM.----- (26)		Q4	WSF ITEM REQ. SPECIAL PRO
8931	EACH	DRIVING ST. PILE 30 IN. DIAM.----- (26)		Q4	WSF ITEM REQ. SPECIAL PRO
8932	EACH	DRIVING ST. PILE 36 IN. DIAM.----- (26)		Q4	WSF ITEM REQ. SPECIAL PRO
8934	EACH	DYNAMIC PILE TESTING		Q4	WSF ITEM REQ. SPECIAL PRO
8939	L.S.	STRUCTURAL STEEL----- (39)		H8	WSF ITEM REQ. SPECIAL PRO
8940	L.S.	STRUCTURAL CARBON STEEL----- (32)		H8	WSF ITEM REQ. SPECIAL PRO
8941	L.S.	STRUCTURAL LOW ALLOY STEEL----- (29)		H8	WSF ITEM REQ. SPECIAL PRO

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
8943	L.S.	CHAIN AND HARDWARE-----	(37)	H8	WSF ITEM REQ. SPECIAL PRO
8945	MBM	TIMBER AND LUMBER-----	(38)	V0	WSF ITEM REQ. SPECIAL PRO
8946	MBM	GLUED-LAMINATED DECKING-----	(32)	V0	WSF ITEM REQ. SPECIAL PRO
8948	L.S.	RESIN BONDED ANCHORS		B0	WSF ITEM REQ. SPECIAL PRO
8950	EACH	UNANCHORED MICROPILE		V7	WSF ITEM REQ. SPECIAL PRO
8952	EACH	ANCHORED MICROPILE		V7	WSF ITEM REQ. SPECIAL PRO
8954	EACH	MICROPILE VERIFICATION TEST		V7	WSF ITEM REQ. SPECIAL PRO
8956	EACH	MICROPILE LOAD TEST		V7	WSF ITEM REQ. SPECIAL PRO
8958	EACH	MICROPILE SHELL		V7	WSF ITEM REQ. SPECIAL PRO
8965	L.S.	FLOATING DOLPHIN		N4	WSF ITEM REQ. SPECIAL PRO
8966	L.S.	FLOATING DOLPHIN FENDER ASSEMBLY		N4	WSF ITEM REQ. SPECIAL PRO
8967	TON	FLOATING DOLPHIN BALLAST		N4	WSF ITEM REQ. SPECIAL PRO
8968	L.F.	FLOATING DOLPHIN ANCHOR CHAIN		N4	WSF ITEM REQ. SPECIAL PRO
8969	L.S.	TEMPORARY PROTECTIVE DOLPHIN		N4	WSF ITEM REQ. SPECIAL PRO
8974	L.S.	MARINE FENDER-----	(42)	N4	WSF ITEM REQ. SPECIAL PRO
8975	EACH	MARINE FENDER-----	(42)	N4	WSF ITEM REQ. SPECIAL PRO
8976	EACH	FURNISH MARINE FENDER-----	(34)	N4	WSF ITEM REQ. SPECIAL PRO
8977	EACH	INSTALL MARINE FENDER-----	(34)	N4	WSF ITEM REQ. SPECIAL PRO
8980	EACH	UHMW POLYETHYLENE RUBBING FACE FOR DOLPHINS		N4	WSF ITEM REQ. SPECIAL PRO
8981	L.S.	UHMW POLYETHYLENE RUBBING FACE FOR WINGWALLS		N4	WSF ITEM REQ. SPECIAL PRO
8982	EACH	UHMW POLYETHYLENE RUBBING FACE FOR PILES		N4	WSF ITEM REQ. SPECIAL PRO

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 8 STRUCTURE</b>					
8983	L.S.	UHMW POLYETHYLENE		N4	WSF ITEM REQ. SPECIAL PRO
8984	HR	PAINTER AND TOOLS		P4	WSF ITEM REQ. SPECIAL PRO
7181	S.Y.	TRANSFER SPAN OVERLAY----- (34)		B6	WSF ITEM REQ. SPECIAL PRO

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 9 SURFACING</b>					
5005	C.Y.	BALLAST FROM STOCKPILE		F4	STANDARD ITEM
5010	TON	BALLAST FROM STOCKPILE		F4	STANDARD ITEM
5015	C.Y.	BALLAST		F6	STANDARD ITEM
5020	TON	BALLAST		F6	STANDARD ITEM
5025	C.Y.	SHOULDER BALLAST FROM STOCKPILE		F4	STANDARD ITEM
5030	TON	SHOULDER BALLAST FROM STOCKPILE		F4	STANDARD ITEM
5035	C.Y.	PERMEABLE BALLAST		F6	STANDARD ITEM
5040	TON	PERMEABLE BALLAST		F6	STANDARD ITEM
5047	TON	GRAVEL BASE		F6	STANDARD ITEM
5057	C.Y.	GRAVEL BASE		F6	STANDARD ITEM
5085	C.Y.	CRUSHED SURFACING BASE COURSE FROM STOCKPILE		F4	STANDARD ITEM
5090	TON	CRUSHED SURFACING BASE COURSE FROM STOCKPILE		F4	STANDARD ITEM
5095	C.Y.	CRUSHED SURFACING BASE COURSE		F6	STANDARD ITEM
5100	TON	CRUSHED SURFACING BASE COURSE		F6	STANDARD ITEM
5105	C.Y.	CRUSHED SURFACING TOP COURSE FROM STOCKPILE		F4	STANDARD ITEM
5110	TON	CRUSHED SURFACING TOP COURSE FROM STOCKPILE		F4	STANDARD ITEM
5115	C.Y.	CRUSHED SURFACING TOP COURSE		F6	STANDARD ITEM
5120	TON	CRUSHED SURFACING TOP COURSE		F6	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 10 LIQUID ASPHALT</b>					
5280	TON	MODIFIED ASPHALT CEMENT AC-15P		B4	GSP ITEM
5290	TON	EMULSIFIED ASPHALT CRS-1		B4	STANDARD ITEM
5295	TON	EMULSIFIED ASPHALT CRS-2		B4	STANDARD ITEM
5296	TON	EMULSIFIED ASPHALT CRS-2P		B4	STANDARD ITEM
5294	CALC	CRS-2P COST PRICE ADJUSTMENT		B4	GSP ITEM
5297	TON	EMULSIFIED ASPHALT CMS-2		B4	STANDARD ITEM
5298	TON	EMULSIFIED ASPHALT CMS-2H		A8	STANDARD ITEM
5299	TON	EMULSIFIED ASPHALT CMS-2M		A8	GSP ITEM
5300	TON	EMULSIFIED ASPHALT CMS-2S		A8	STANDARD ITEM
5305	TON	EMULSIFIED ASPHALT CSS-1		A8	STANDARD ITEM
5310	TON	EMULSIFIED ASPHALT CSS-1H		A8	STANDARD ITEM
5315	TON	EMULSIFIED ASPHALT STE-1		A8	STANDARD ITEM
5340	TON	ASPHALT FOR FOG SEAL		B4	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 11 BITUMINOUS SURFACE TREATMENT</b>					
5400	MI.	PROCESSING AND FINISHING		B4	REQUIRES SPECIAL PROV.
5410	C.Y.	AGG. FROM STOCKPILE FOR BST----- (28)		B4	STANDARD ITEM
5420	C.Y.	FURNISHING AND PLACING CRUSHED COVER STONE		B4	STANDARD ITEM
5423	C.Y.	FURNISHING AND PLACING CRUSHED SCREENING 3/4 TO 1/2		B4	STANDARD ITEM
5424	C.Y.	FURNISHING AND PLACING CRUSHED SCREENING 5/8 TO NO. 4		B4	STANDARD ITEM
5429	C.Y.	FURNISHING AND PLACING CRUSHED SCREENING 1/2 TO NO. 4		B4	STANDARD ITEM
5433	C.Y.	FURNISHING AND PLACING CRUSHED SCREENING 3/8 TO NO. 10		B4	STANDARD ITEM
5436	TON	FURNISHING AND PLACING CRUSHED----- (25)		B4	STANDARD ITEM
5437	S.Y.	FURNISHING AND PLACING CRUSHED----- (25)		B4	STANDARD ITEM
5434	C.Y.	FURNISHING AND PLACING CRUSHED SCREENING NO. 4 TO 0		B4	STANDARD ITEM
5455	EACH	BITUMINOUS SURFACE TREATMENT FOR ROAD APPROACH		B4	GSP ITEM
5460	HR	ADDITIONAL BROOMING		B4	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 13 CEMENT CONCRETE PAVEMENT</b>					
5625	C.Y.	CEMENT CONC. PAVEMENT		C0	STANDARD ITEM
5637	CALC	RIDE SMOOTHNESS COMPLIANCE ADJUSTMENT		C0	STANDARD ITEM
5638	CALC	CEMENT CONC. COMPLIANCE ADJUSTMENT		C0	STANDARD ITEM
5639	CALC	GRINDING SMOOTHNESS COMPLIANCE ADJUSTMENT		C0	STANDARD ITEM
5685	EACH	CORROSION RESISTANT DOWEL BAR		C0	STANDARD ITEM
5662	S.Y.	REPLACE CEMENT CONCRETE PANEL		D2	STANDARD ITEM
5663	EST.	PARTIAL DEPTH SPALL REPAIR		P8	STANDARD ITEM
5681	EACH	RETROFIT DOWEL BARS		C0	STANDARD ITEM
5683	EACH	TIE BAR WITH DRILL HOLE		C0	STANDARD ITEM
5627	L.F.	PCCP JOINT MATCHING		C0	STANDARD ITEM
5712	S.Y.	CEMENT CONCRETE PAVEMENT GRINDING		E2	STANDARD ITEM
5709	EST.	REPLACE UNCOMPACTABLE MATERIAL		C0	STANDARD ITEM
5704	L.F.	SEALING EXISTING CCP RANDOM CRACK		E7	STANDARD ITEM
5705	L.F.	CLEAN AND SEAL BRIDGE DECK PANEL JOINT		E7	STANDARD ITEM
5706	L.F.	SEALING EXISTING CCP TRANSV AND LONGIT JOINT		E7	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 14 HOT MIX ASPHALT</b>					
5700	MI.	PREPARATION OF UNTREATED ROADWAY		B4	STANDARD ITEM
5707	EST.	CRACK SEALING BIT PVMT - FA		A4	STANDARD ITEM
5710	L.F.	CRACK SEALING BIT PVMT 1/4 INCH TO 1 INCH - LF		A4	STANDARD ITEM
5702	L.F.	CRACK SEALING BIT PVMT WIDER THAN 1 INCH - LF		A4	STANDARD ITEM
5701	CM	CRACK SEALING BIT PVMT - CM		A4	STANDARD ITEM
5703	L.F.	CRACK SEALING BIT PVMT - LF		A4	STANDARD ITEM
6511	L.F.	HMA JOINT SEAL AT BRIDGE END		A4	STANDARD ITEM
6517	L.F.	HMA JOINT SEAL AT BRIDGE DECK PANEL JOINT		A4	STANDARD ITEM
6514	L.F.	SEALING CCP TO HMA LONGIT JOINTS		A4	STANDARD ITEM
5711	S.Y.	PLANING BITUMINOUS PAVEMENT		A0	STANDARD ITEM
5708	S.Y.	REMOVING EXISTING OVERLAY FROM BRIDGE DECK----- (13)		A0	STANDARD ITEM
5713	TON	PRIME COAT AGG. FROM STOCKPILE		B4	REQUIRES SPECIAL PROV.
5714	C.Y.	PRIME COAT AGG. FROM STOCKPILE		B4	REQUIRES SPECIAL PROV.
5715	TON	PRIME COAT AGG.		B4	STANDARD ITEM
5720	C.Y.	PRIME COAT AGG.		B4	STANDARD ITEM
5722	S.Y.	FABRIC REINFORCEMENT		A4	REQUIRES SPECIAL PROV.
5716	TON	HMA FOR PRELEVELING CL. 3/8 IN. PG----- (21)		A4	STD. ITEM, GSP REQUIRED
5717	TON	HMA FOR PRELEVELING CL. 1/2 IN. PG----- (21)		A4	STD. ITEM, GSP REQUIRED
5718	TON	HMA FOR PRELEVELING CL. 3/4 IN. PG----- (21)		A4	STD. ITEM, GSP REQUIRED
5738	TON	HMA FOR PAVEMENT REPAIR CL. 3/8 IN. PG----- (17)		A4	STD. ITEM, GSP REQUIRED
5739	TON	HMA FOR PAVEMENT REPAIR CL. 1/2 IN. PG----- (17)		A4	STD. ITEM, GSP REQUIRED



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 14 HOT MIX ASPHALT</b>					
5740	TON	HMA FOR PAVEMENT REPAIR CL. 3/4 IN. PG-----	(17)	A3	STD. ITEM, GSP REQUIRED
5766	TON	HMA CL. 3/8 IN. PG-----	(37)	A4	STD. ITEM, GSP REQUIRED
5767	TON	HMA CL. 1/2 IN. PG-----	(37)	A4	STD. ITEM, GSP REQUIRED
5768	TON	HMA CL. 3/4 IN. PG-----	(37)	A4	STD. ITEM, GSP REQUIRED
5769	TON	HMA CL. 1 IN. PG-----	(39)	A4	STD. ITEM, GSP REQUIRED
5830	CALC	JOB MIX COMPLIANCE PRICE ADJUSTMENT		A4	STANDARD ITEM
5835	CALC	COMPACTION PRICE ADJUSTMENT		A4	STANDARD ITEM
5837	CALC	ASPHALT COST PRICE ADJUSTMENT		A4	GSP ITEM
6885	EACH	HMA CORE-ROADWAY		A4	STANDARD ITEM
6991	EACH	HMA CORE-BRIDGE		A4	STANDARD ITEM
5872	TON	HMA FOR APPROACH CL. 3/8 IN. PG-----	(24)	A4	STANDARD ITEM
5873	TON	HMA FOR APPROACH CL. 1/2 IN. PG-----	(24)	A4	STD. ITEM, GSP REQUIRED
5874	TON	HMA FOR APPROACH CL. 3/4 IN. PG-----	(24)	A4	STD. ITEM, GSP REQUIRED
5875	TON	COMMERCIAL HMA		A4	STANDARD ITEM
5840	S.Y.	PREPARATION OF SURFACE		A4	GSP ITEM
5841	TON	AGGREGATE FOR SEAL COAT		A4	GSP ITEM
5856	GAL.	COAL TAR ASPHALT EMULSION BLENDED SEALER		A4	GSP ITEM
5860	TON	ASPHALT EMULSION-----	(39)	A4	STANDARD ITEM
6510	S.Y.	SOIL RESIDUAL HERBICIDE		L2	STANDARD ITEM
6512	MI.	SOIL RESIDUAL HERBICIDE 6 FT. WIDE		L2	STANDARD ITEM
6513	MI.	SOIL RESIDUAL HERBICIDE-----	(32)	L2	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 14 HOT MIX ASPHALT</b>					
6516	CALC	CYCLIC DENSITY PRICE ADJUSTMENT		A4	STANDARD ITEM
6520	CALC	ASPHALT BINDER REVISION		A4	GSP ITEM
6518	CALC	SMOOTHNESS COMPLIANCE ADJUSTMENT		A4	GSP ITEM
7180	S.Y.	WATERPROOF STRESS MEMBRANE		A4	WSF ITEM REQ. SPECIAL PRO

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 16 IRRIGATION AND WATER DISTRIBUTION</b>					
6071	L.S.	IRRIGATION SYSTEM		M4	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 17 EROSION CONTROL AND ROADSIDE PLANTING</b>					
6403	DAY	ESC LEAD		H0	STANDARD ITEM
6402	L.F.	TURBIDITY CURTAIN		H0	STANDARD ITEM
6453	S.Y.	COMPOST BLANKET		H0	STANDARD ITEM
6464	S.Y.	PLASTIC COVERING		H0	STANDARD ITEM
6463	L.F.	CHECK DAM		H0	STANDARD ITEM
6471	EACH	INLET PROTECTION		H0	STANDARD ITEM
6473	EACH	OUTLET PROTECTION		H0	STANDARD ITEM
6474	L.F.	GRAVEL FILTER BERM		H0	STANDARD ITEM
6468	S.Y.	STABILIZED CONSTRUCTION ENTRANCE		H0	STANDARD ITEM
6469	EACH	TIRE WASH		H0	STANDARD ITEM
6470	HR	STREET CLEANING		H0	STANDARD ITEM
6373	L.F.	SILT FENCE		H0	STANDARD ITEM
6475	L.F.	WOOD CHIP BERM		H0	STANDARD ITEM
6374	L.F.	COMPOST BERM		H0	STANDARD ITEM
6479	L.F.	WATTLE		H0	STANDARD ITEM
6500	L.F.	COMPOST SOCK		H0	STANDARD ITEM
6502	L.F.	COIR LOG		H0	STANDARD ITEM
6488	L.S.	EROSION CONTROL AND WATER POLLUTION PREVENTION		H0	STANDARD ITEM
6490	EST.	EROSION/WATER POLLUTION CONTROL		H0	STANDARD ITEM
6472	L.F.	TEMPORARY CURB		H0	STANDARD ITEM
7315	L.F.	TEMPORARY PIPE SLOPE DRAIN		G2	STANDARD ITEM

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 17 EROSION CONTROL AND ROADSIDE PLANTING</b>					
6437	ACRE	TEMPORARY MULCHING		H0	STANDARD ITEM
6436	ACRE	MULCHING - SITE----- (40)		T2	STANDARD ITEM
6433	L.S.	MULCHING		T2	REQUIRES SPECIAL PROV.
6445	ACRE	TACKIFIER		H0	STANDARD ITEM
6444	ACRE	PAM		H0	REQUIRES SPECIAL PROV.
6491	ACRE	TEMPORARY SEEDING		H0	STANDARD ITEM
6418	L.S.	SEEDING		T2	REQUIRES SPECIAL PROV.
6414	ACRE	SEEDING, FERTILIZING, AND MULCHING		T2	STD. ITEM, GSP REQUIRED
6417	ACRE	SEEDING, FERTILIZING, AND MULCHING - SITE----- (14)		T2	STD. ITEM, GSP REQUIRED
6416	L.S.	SEEDING, FERTILIZING, AND MULCHING		T2	REQUIRES SPECIAL PROV.
6431	S.Y.	SEEDING, FERTILIZING AND MULCHING		T2	STD. ITEM, GSP REQUIRED
6429	S.Y.	SEEDING AND FERTILIZING		T2	STANDARD ITEM
6412	ACRE	SEEDING AND FERTILIZING		T2	STANDARD ITEM
6422	ACRE	SEEDING AND MULCHING		T2	STANDARD ITEM
6415	ACRE	SEEDING AND FERTILIZING - SITE----- (25)		T2	STANDARD ITEM
6413	L.S.	SEEDING AND FERTILIZING		T2	REQUIRES SPECIAL PROV.
6419	S.Y.	SEEDING AND FERTILIZING BY HAND		T2	STANDARD ITEM
6423	L.S.	FERTILIZING		T2	REQUIRES SPECIAL PROV.
6427	ACRE	SECOND APPLICATION OF FERTILIZER		T2	STANDARD ITEM
6428	ACRE	SECOND APPLICATION OF FERTILIZER - SITE----- (16)		T2	STANDARD ITEM
6407	ACRE	TOPSOIL TYPE A		H0	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 17 EROSION CONTROL AND ROADSIDE PLANTING</b>					
6408	ACRE	TOPSOIL TYPE B		H0	STANDARD ITEM
6409	ACRE	TOPSOIL TYPE C		H0	STANDARD ITEM
6391	S.Y.	TOPSOIL TYPE A		H0	STD. ITEM, GSP REQUIRED
6392	S.Y.	TOPSOIL TYPE B		H0	STD. ITEM, GSP REQUIRED
6393	S.Y.	TOPSOIL TYPE C		H0	STD. ITEM, GSP REQUIRED
6531	C.Y.	SPECIAL SOIL MIX		M8	REQUIRES SPECIAL PROV.
6535	S.Y.	PREPARATION FOR PLANTING		M8	REQUIRES SPECIAL PROV.
6550	EACH	PLANT SELECTION----- (40)		M8	STANDARD ITEM
6552	EACH	PSIPE----- (50)		M8	STANDARD ITEM
6559	L.F.	PSIPE BRUSH LAYER		H0	STANDARD ITEM
6551	S.Y.	PSIPE LIVE BRUSH MATTRESS		M8	STANDARD ITEM
6549	L.F.	PSIPE LIVE FASCINE		M8	STANDARD ITEM
6554	EACH	LIVE POLE		M8	STANDARD ITEM
6556	L.F.	LIVE STAKE ROW		M8	STANDARD ITEM
6557	S.Y.	BRUSH MATTRESS		M8	STANDARD ITEM
6558	L.F.	BRUSH LAYER		H0	STANDARD ITEM
6448	EST.	REMOVAL OF BURIED PREVIOUSLY FABRICATED DEBRIS		A1	GSP ITEM
6553	L.F.	FASCINES		M8	STANDARD ITEM
6480	ACRE	FINE COMPOST		T2	STANDARD ITEM
6483	S.Y.	FINE COMPOST		T2	STANDARD ITEM
6481	ACRE	MEDIUM COMPOST		T2	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 17 EROSION CONTROL AND ROADSIDE PLANTING</b>					
6484	S.Y.	MEDIUM COMPOST		T2	STANDARD ITEM
6482	ACRE	COARSE COMPOST		T2	STANDARD ITEM
6485	S.Y.	COARSE COMPOST		T2	STANDARD ITEM
6571	LB.	FERTILIZER - TABLET		M8	REQUIRES SPECIAL PROV.
6572	LB.	FERTILIZER - GRANULAR		M8	REQUIRES SPECIAL PROV.
6546	EST.	PROJECT AREA WEED AND PEST CONTROL		M8	STANDARD ITEM
6537	EST.	PLANTING AREA WEED CONTROL AND PREPARATION		M8	REQUIRES SPECIAL PROV.
6612	EST.	PESTICIDE APPLICATION		L8	STANDARD ITEM
6529	ACRE	SOIL AMENDMENT		H0	STANDARD ITEM
6530	S.Y.	SOIL AMENDMENT		H0	STANDARD ITEM
6528	ACRE	BIOTIC SOIL AMENDMENT		H0	GSP ITEM
6515	GAL.	HERBICIDE APPLIED IN LIQUID FORM		L2	REQUIRES SPECIAL PROV.
6504	MI.	SHOULDER SLOPE STERILIZATION----- (27)		L2	REQUIRES SPECIAL PROV.
6579	ACRE	BARK OR WOOD CHIP MULCH		M8	STD. ITEM, GSP REQUIRED
6580	S.Y.	BARK OR WOOD CHIP MULCH		M8	GSP ITEM
6578	EACH	BARK OR WOOD CHIP MULCH RINGS		M8	STANDARD ITEM
6560	S.Y.	SEEDED LAWN INSTALLATION		M8	STANDARD ITEM
6555	S.Y.	SOD INSTALLATION		M8	STANDARD ITEM
6462	S.Y.	LAWN MOWING		O6	STANDARD ITEM
6466	EST.	ROADSIDE MAINTENANCE UNDER CONSTRUCTION		O6	STANDARD ITEM
6620	ACRE	GRASS MOWING		O6	REQUIRES SPECIAL PROV.

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 17 EROSION CONTROL AND ROADSIDE PLANTING</b>					
6625	ACRE	VEGETATIVE CONTROL MOWING		O6	REQUIRES SPECIAL PROV.
6626	ACRE	VEGETATIVE CONTROL MOWING - SITE----- (23)		O6	REQUIRES SPECIAL PROV.
6460	ACRE	MOWING		O6	STANDARD ITEM
6630	L.F.	HIGH VISIBILITY FENCE		H0	STANDARD ITEM
6635	L.F.	HIGH VISIBILITY SILT FENCE		H0	STANDARD ITEM
6404	L.S.	ENVIRONMENTAL COMPLIANCE LEAD		A1	GSP ITEM
6455	S.Y.	EROSION CONTROL BLANKET		H0	STANDARD ITEM
6606	EST.	PLANT ESTABLISHMENT - SECOND YEAR		M8	STANDARD ITEM
6608	EST.	PLANT ESTABLISHMENT - THIRD YEAR		M8	STANDARD ITEM



STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 18 TRAFFIC</b>					
6698	EACH	ROUNDAABOUT SPLITTER ISLAND NOSING CURB		C8	STANDARD ITEM
6699	L.F.	ROUNDAABOUT CEMENT CONCRETE CURB AND GUTTER		C8	STANDARD ITEM
6700	L.F.	CEMENT CONC. TRAFFIC CURB AND GUTTER		C8	STANDARD ITEM
6701	L.F.	CEMENT CONC. TRAFFIC CURB		C8	STANDARD ITEM
6702	L.F.	MOUNTABLE CEMENT CONC. TRAFFIC CURB		C8	STANDARD ITEM
6708	L.F.	ROUNDAABOUT CENTRAL ISLAND CEMENT CONCRETE CURB		C8	STANDARD ITEM
6709	L.F.	ROUNDAABOUT TRUCK APRON CEM. CONC. CURB AND GUTTER		C8	STANDARD ITEM
6705	L.F.	DUAL-FACED CEMENT CONC. TRAFFIC CURB AND GUTTER		C8	STANDARD ITEM
6706	L.F.	DUAL-FACED CEMENT CONC. TRAFFIC CURB		C8	STANDARD ITEM
6707	L.F.	CEMENT CONC. PEDESTRIAN CURB		C8	STANDARD ITEM
6727	L.F.	EXTRUDED CURB		A2	STANDARD ITEM
6840	L.F.	PRECAST SLOPED MOUNTABLE CURB		W4	STANDARD ITEM
6841	L.F.	PRECAST DUAL FACED SLOPED MOUNTABLE CURB		W4	STANDARD ITEM
6744	EACH	BOX CULVERT GUARDRAIL STEEL POST TYPE 31		J0	GSP ITEM
6747	L.F.	BEAM GUARDRAIL TYPE 1 - 9 FT. LONG POST		J0	STANDARD ITEM
6749	L.F.	BEAM GUARDRAIL TYPE 1 - 11 FT. LONG POST		J0	STANDARD ITEM
6711	L.F.	BEAM GUARDRAIL TYPE 31 - 8 FT. LONG POST		J0	STANDARD ITEM
6712	L.F.	BEAM GUARDRAIL TYPE 31 - 9 FT. LONG POST		J0	STANDARD ITEM
6713	L.F.	BEAM GUARDRAIL TYPE 31 - 11 FT. LONG POST		J0	STANDARD ITEM
6755	EACH	BEAM GUARDRAIL BLOCK		J0	STANDARD ITEM
6645	L.F.	AES. TR. BEAM GUARDRAIL TYPE----- (27)		J0	GSP ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 18 TRAFFIC</b>					
6671	L.F.	AES. TR. BEAM GUARDRAIL TYPE 1 8FT. LONG POST		J0	GSP ITEM
6672	L.F.	AES. TR. BEAM GUARDRAIL TYPE 1 9FT. LONG POST		J0	GSP ITEM
6673	L.F.	AES. TR. BEAM GUARDRAIL TYPE 1 11FT. LONG POST		J0	GSP ITEM
6674	L.F.	AES. TR. BEAM GUARDRAIL TYPE 31 8FT. LONG POST		J0	GSP ITEM
6675	L.F.	AES. TR. BEAM GUARDRAIL TYPE 31 9FT. LONG POST		J0	GSP ITEM
6676	L.F.	AES. TR. BEAM GUARDRAIL TYPE 31 11FT. LONG POST		J0	GSP ITEM
6646	EACH	AES. TR. BEAM GUARDRAIL TRANSITION SECTION TYPE----- (8)		J0	GSP ITEM
6647	EACH	AES. TR. BEAM GUARDRAIL ANCHOR TYPE----- (20)		J0	GSP ITEM
6648	EACH	AES. TR. BEAM GUARDRAIL FLARED TERMINAL		J0	GSP ITEM
6650	EACH	AES. TR. BEAM GUARDRAIL TYPE 31 NON-FLARED TERMINAL		J0	GSP ITEM
6651	EACH	AES. TR. BEAM GUARDRAIL BULL NOSE TERMINAL		J0	GSP ITEM
6653	L.F.	AES. TR. BEAM GUARDRAIL TYPE 31 BURIED TERMINAL TYPE 2		J0	GSP ITEM
6751	L.F.	BEAM GUARDRAIL TYPE 1		J0	STANDARD ITEM
6752	L.F.	BEAM GUARDRAIL TYPE 2		J0	STANDARD ITEM
6753	L.F.	BEAM GUARDRAIL TYPE 3		J0	STANDARD ITEM
6754	L.F.	BEAM GUARDRAIL TYPE 4		J0	STANDARD ITEM
6756	L.F.	BEAM GUARDRAIL TYPE----- (36)		J0	STANDARD ITEM
6759	L.F.	BEAM GUARDRAIL TYPE 10		J0	STANDARD ITEM
6757	L.F.	BEAM GUARDRAIL TYPE 31		J0	STANDARD ITEM
6760	EACH	BEAM GUARDRAIL TRANSITION SECTION TYPE----- (17)		J0	STANDARD ITEM
6719	EACH	BEAM GUARDRAIL TYPE 31 NON-FLARED TERMINAL		J0	STANDARD ITEM

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 18 TRAFFIC</b>					
6733	L.F.	BEAM GUARDRAIL TYPE 31 BURIED TERMINAL TYPE 2		J0	STANDARD ITEM
6737	EACH	BEAM GUARDRAIL BULL NOSE TERMINAL		J0	STANDARD ITEM
6771	EACH	BEAM GUARDRAIL ANCHOR TYPE 1		J0	REQUIRES SPECIAL PROV.
6774	EACH	BEAM GUARDRAIL ANCHOR TYPE 4		J0	REQUIRES SPECIAL PROV.
6770	EACH	BEAM GUARDRAIL ANCHOR TYPE 5		J0	REQUIRES SPECIAL PROV.
6765	EACH	BEAM GUARDRAIL ANCHOR TYPE 7		J0	REQUIRES SPECIAL PROV.
6766	EACH	BEAM GUARDRAIL ANCHOR TYPE 10		J0	REQUIRES SPECIAL PROV.
6786	EACH	BEAM GUARDRAIL ANCHOR TYPE 11		J0	STANDARD ITEM
6780	L.F.	REMOVING AND RESETTING BEAM GUARDRAIL		J0	STANDARD ITEM
6783	L.F.	RAISING EXISTING BEAM GUARDRAIL		J0	STANDARD ITEM
6775	L.F.	PRECAST CONC. BARRIER FROM STOCKPILE		N0	REQUIRES SPECIAL PROV.
6776	L.F.	PRECAST CONC. BARRIER TYPE----- (29)		N0	STANDARD ITEM
6790	L.F.	CONC. BARRIER TRANSITION TYPE 2 TO BRIDGE F-SHAPE		D0	STANDARD ITEM
6788	L.F.	PRECAST CONC. BARRIER TYPE F UNANCHORED		N0	STANDARD ITEM
6789	L.F.	PRECAST CONC. BARRIER TYPE F ANCHORED		N0	STANDARD ITEM
6763	L.F.	SINGLE SLOPE CONCRETE BARRIER		D0	STANDARD ITEM
6764	EACH	SINGLE SLOPE CONC. BARRIER LIGHT STANDARD FOUNDATION		D0	STANDARD ITEM
6777	L.F.	CAST-IN-PLACE CONC. BARRIER		D0	STANDARD ITEM
6779	EACH	CAST-IN-PLACE CONC. BARRIER LIGHT STANDARD SECTION		D0	STANDARD ITEM
6781	L.F.	TEMPORARY BARRIER		N0	STANDARD ITEM
6784	L.F.	REMOVING AND RESETTING EXISTING PERMANENT BARRIER		N0	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 18 TRAFFIC</b>					
6795	C.Y.	CONC. CLASS 4000 FOR BARRIER		D0	STANDARD ITEM
6799	LB.	ST. REINF. BAR FOR BARRIER		D0	REQUIRES SPECIAL PROV.
7432	L.F.	HIGH-TENSION CABLE BARRIER SYSTEM (4 CABLE)		J0	GSP ITEM
7434	L.S.	ADDITIONAL HIGH-TENSION CABLE BARRIER COMPONENTS		J0	GSP ITEM
7440	EACH	TEMPORARY IMPACT ATTENUATOR		L6	STANDARD ITEM
7442	EACH	PERMANENT IMPACT ATTENUATOR		L6	STANDARD ITEM
7445	EACH	RESETTING IMPACT ATTENUATOR		L6	STANDARD ITEM
7448	HR	TRANSPORTABLE ATTENUATOR		L6	STANDARD ITEM
7450	EST.	REPAIR TRANSPORTABLE ATTENUATOR		L6	STANDARD ITEM
6832	EACH	FLEXIBLE GUIDE POST		A1	STANDARD ITEM
6830	EACH	BARRIER DELINEATOR		A1	STANDARD ITEM
6834	EACH	LINEAR DELINEATION PANEL FOR CONCRETE BARRIER		A1	GSP ITEM
6839	EACH	LINEAR DELINEATION PANEL FOR GUARDRAIL		A1	GSP ITEM
6835	EACH	REMOVING AND RESETTING GUIDE POST		A1	REQUIRES SPECIAL PROV.
6806	L.F.	PAINT LINE		P6	STANDARD ITEM
6807	L.F.	PLASTIC LINE		V6	STANDARD ITEM
6837	L.F.	PAINTED 12-INCH WIDE LINE		P6	STANDARD ITEM
6838	L.F.	PLASTIC 12-INCH WIDE LINE		V6	STANDARD ITEM
6809	L.F.	PROFILED PLASTIC LINE		V6	STANDARD ITEM
6808	L.F.	EMBOSSSED PLASTIC LINE		V6	STANDARD ITEM
6810	L.F.	PROFILED EMBOSSSED PLASTIC LINE		P6	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 18 TRAFFIC</b>					
6813	L.F.	GROOVED PLASTIC LINE		V6	STANDARD ITEM
6861	L.F.	GROOVED PLASTIC WIDE LINE		V6	STANDARD ITEM
6845	L.F.	PROFILED PLASTIC WIDE LINE		V6	STANDARD ITEM
6812	L.F.	EMBOSSSED PLASTIC WIDE LINE		V6	STANDARD ITEM
6800	L.F.	PROFILED EMBOSSSED PLASTIC WIDE LINE		V6	STANDARD ITEM
6854	L.F.	PAINTED BARRIER CENTER LINE		P6	STANDARD ITEM
6855	L.F.	PLASTIC BARRIER CENTER LINE		V6	STANDARD ITEM
6856	S.F.	PAINTED CROSSWALK LINE		P6	STANDARD ITEM
6857	S.F.	PLASTIC CROSSWALK LINE		V6	STANDARD ITEM
6858	L.F.	PAINTED STOP LINE		P6	STANDARD ITEM
6859	L.F.	PLASTIC STOP LINE		V6	STANDARD ITEM
6860	EACH	PAINTED TRAFFIC ARROW		P0	STANDARD ITEM
6833	EACH	PLASTIC TRAFFIC ARROW		V6	STANDARD ITEM
6870	EACH	PAINTED TRAFFIC LETTER		P0	STANDARD ITEM
6871	EACH	PLASTIC TRAFFIC LETTER		V6	STANDARD ITEM
6862	EACH	PAINTED ACCESS PARKING SPACE SYMBOL		P0	STANDARD ITEM
6863	EACH	PLASTIC ACCESS PARKING SPACE SYMBOL		V6	STANDARD ITEM
6878	EACH	PAINTED RAILROAD CROSSING SYMBOL		P0	STANDARD ITEM
6879	EACH	PLASTIC RAILROAD CROSSING SYMBOL		V6	STANDARD ITEM
6866	EACH	PAINTED BICYCLE LANE SYMBOL		P0	STANDARD ITEM
6867	EACH	PLASTIC BICYCLE LANE SYMBOL		V6	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 18 TRAFFIC</b>					
6880	EACH	PAINTED DRAINAGE MARKING		P0	STANDARD ITEM
6881	EACH	PLASTIC DRAINAGE MARKING		V6	STANDARD ITEM
6874	EACH	PAINTED JUNCTION BOX MARKING		P0	STANDARD ITEM
6875	EACH	PLASTIC JUNCTION BOX MARKING		V6	STANDARD ITEM
9243	EACH	PAINTED AERIAL SURVEILLANCE FULL MARKER		V6	STANDARD ITEM
9244	EACH	PLASTIC AERIAL SURVEILLANCE FULL MARKER		V6	STANDARD ITEM
9245	EACH	PAINTED AERIAL SURVEILLANCE 1/2 MARKER		V6	STANDARD ITEM
9246	EACH	PLASTIC AERIAL SURVEILLANCE 1/2 MARKER		V6	STANDARD ITEM
9237	EACH	PAINTED YIELD LINE SYMBOL		P6	STANDARD ITEM
9238	EACH	PLASTIC YIELD LINE SYMBOL		P6	STANDARD ITEM
9239	EACH	PAINTED YIELD AHEAD SYMBOL		P6	STANDARD ITEM
9240	EACH	PLASTIC YIELD AHEAD SYMBOL		P6	STANDARD ITEM
9241	EACH	PAINTED SPEED BUMP SYMBOL		P6	STANDARD ITEM
9242	EACH	PLASTIC SPEED BUMP SYMBOL		P6	STANDARD ITEM
9247	EACH	PAINTED ACCESS PARKING SPACE SYMBOL WITH BACKGROUND		P6	STANDARD ITEM
9248	EACH	PLASTIC ACCESS PARKING SPACE SYMBOL WITH BACKGROUND		P6	STANDARD ITEM
6893	MI.	CENTERLINE RUMBLE STRIP		E6	STANDARD ITEM
6901	MI.	SINUSOIDAL RUMBLE STRIP		E6	REQUIRES SPECIAL PROV.
6892	MI.	SHOULDER RUMBLE STRIP TYPE----- (29)		E6	STANDARD ITEM
7443	L.F.	TEMPORARY ADHESIVE TRANSVERSE RUMBLE STRIPS		N2	GSP ITEM
7441	EACH	TEMPORARY PORTABLE TRANSVERSE RUMBLE STRIPS		N2	GSP ITEM

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 18 TRAFFIC</b>					
6882	HUND	RAISED PAVEMENT MARKER TYPE 1		N2	STANDARD ITEM
6884	HUND	RAISED PAVEMENT MARKER TYPE 2		N2	STANDARD ITEM
6886	HUND	RAISED PAVEMENT MARKER TYPE 3----- (26)		N2	STANDARD ITEM
6889	HUND	RECESSED PAVEMENT MARKER		N2	STANDARD ITEM
6887	EACH	WHITE PLASTIC RUMBLE BAR		N2	REQUIRES SPECIAL PROV.
6890	L.S.	PERMANENT SIGNING		U4	STANDARD ITEM
6895	L.F.	TEMPORARY PAVEMENT MARKING-SHORT DURATION		N2	STANDARD ITEM
6896	L.F.	TEMPORARY PAVEMENT MARKING-LONG DURATION		N2	STANDARD ITEM
6872	EACH	TEMPORARY MISC. PAVEMENT MARKINGS - SHORT DURATION		N2	STANDARD ITEM
6894	EACH	TEMPORARY MISC. PAVEMENT MARKINGS - LONG DURATION		N2	STANDARD ITEM
6842	L.F.	TEMPORARY STOP LINE - SHORT DURATION		N2	STANDARD ITEM
6843	L.F.	TEMPORARY STOP LINE - LONG DURATION		N2	STANDARD ITEM
6851	S.F.	TEMPORARY CROSSWALK LINE - SHORT DURATION		N2	STANDARD ITEM
6852	S.F.	TEMPORARY CROSSWALK LINE - LONG DURATION		N2	STANDARD ITEM
6897	L.S.	SIGN BRIDGE NO. ----- (38)		U8	STANDARD ITEM
6898	L.S.	CANTILEVER SIGN STRUCTURE NO.----- (26)		U8	STANDARD ITEM
6899	L.S.	BRIDGE MOUNTED SIGN BRACKET NO.----- (24)		U8	STANDARD ITEM
6902	S.F.	SIGN COVERING		U4	STANDARD ITEM
6903	L.S.	TEMPORARY ILLUMINATION SYSTEM----- (26)		H2	REQUIRES SPECIAL PROV.
6904	L.S.	ILLUMINATION SYSTEM----- (36)		H2	STANDARD ITEM
6912	L.S.	TRAFFIC SIGNAL SYSTEM----- (34)		W6	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 18 TRAFFIC</b>					
6914	L.S.	ITS----- (52)		H4	STANDARD ITEM
6913	L.S.	PORTABLE TEMPORARY TRAFFIC CONTROL SIGNAL		W6	STANDARD ITEM
6918	HR	OPERATION OF QUEUE WARNING SYSTEM		W6	GSP ITEM
6919	HR	OPERATION OF SMART WORK ZONE SYSTEM		W6	GSP ITEM
6920	HR	AUTOMATED FLAGGER ASSISTANCE DEVICE		W3	GSP ITEM
6921	HR	RADAR SPEED DISPLAY SIGN		W3	GSP ITEM
6922	HR	CONTRACTOR PROVIDED UNIFORMED POLICE OFFICER		A1	GSP ITEM
6915	L.F.	CASING		H2	STANDARD ITEM
6917	L.F.	DIRECTIONAL BORING		H2	STANDARD ITEM
6942	L.F.	CONDUIT PIPE 1 IN. DIAM.		H2	STANDARD ITEM
6943	L.F.	CONDUIT PIPE 1-1/4 IN. DIAM.		H2	STANDARD ITEM
6944	L.F.	CONDUIT PIPE 1-1/2 IN. DIAM.		H2	STANDARD ITEM
6945	L.F.	CONDUIT PIPE 2 IN. DIAM.		H2	STANDARD ITEM
6946	L.F.	CONDUIT PIPE 2-1/2 IN. DIAM.		H2	STANDARD ITEM
6947	L.F.	CONDUIT PIPE 3 IN. DIAM.		H2	STANDARD ITEM
6948	L.F.	CONDUIT PIPE 3-1/2 IN. DIAM.		H2	STANDARD ITEM
6949	L.F.	CONDUIT PIPE 4 IN. DIAM.		B0	STANDARD ITEM
6956	HR	SEQUENTIAL ARROW SIGN		W3	STANDARD ITEM
6993	HR	PORTABLE CHANGEABLE MESSAGE SIGN		W3	STANDARD ITEM
6971	L.S.	PROJECT TEMPORARY TRAFFIC CONTROL		W3	GSP ITEM
6973	L.S.	OTHER TEMPORARY TRAFFIC CONTROL DEVICES		W3	STANDARD ITEM



## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 18 TRAFFIC</b>					
6980	HR	FLAGGERS		W3	STANDARD ITEM
6992	HR	OTHER TRAFFIC CONTROL LABOR		W3	STANDARD ITEM
6974	L.S.	TRAFFIC CONTROL SUPERVISOR		W3	STD. ITEM, GSP REQUIRED
7572	EST.	WORK ZONE SAFETY CONTINGENCY		A1	GSP ITEM
6982	S.F.	CONSTRUCTION SIGNS CLASS A		W3	STANDARD ITEM
6975	CALC	WSP REIMBURSEMENT		W3	GSP ITEM
6976	HR	PATROL AND MAINTAIN TRAFFIC CONTROL MEASURES		W3	STANDARD ITEM
6864	EACH	PAINTED HOV LANE SYMBOL		P0	STANDARD ITEM
6865	EACH	PLASTIC HOV LANE SYMBOL		V6	STANDARD ITEM
6869	L.S.	PEDESTRIAN TRAFFIC CONTROL		A1	STANDARD ITEM
7220	L.F.	PAINTING CURB		P6	WSF ITEM REQ. SPECIAL PRO
6821	L.F.	PAINTED CROSSHATCH MARKING		P6	STANDARD ITEM
6822	L.F.	PLASTIC CROSSHATCH MARKING		V6	STANDARD ITEM
6750	EACH	BEAM GUARDRAIL POST		J0	STANDARD ITEM
6817	L.F.	PAINTED WIDE LINE		P6	STANDARD ITEM
6818	L.F.	PLASTIC WIDE LINE		V6	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 19 OTHER ITEMS</b>					
9000	EST.	REIMBURSEMENT FOR ESA MONITORING SUSPENSION		A1	WSF ITEM REQ. SPECIAL PRO
9001	EST.	REIMBURSEMENT FOR PERMIT MONITORING SUSPENSION		A1	WSF ITEM REQ. SPECIAL PRO
9002	EST.	REIMB. FOR PROTECTED SPECIES MONITORING SUSPENSION		A1	WSF ITEM REQ. SPECIAL PRO
9003	L.S.	PROTECTED SPECIES MONITORING		A1	WSF ITEM REQ. SPECIAL PRO
9004	CALC	PROJECT PARTNERING		A1	GSP ITEM
7069	EACH	WHEEL STOP		W4	WSF ITEM REQ. SPECIAL PRO
7001	EST.	TAX INCREASE PER SEC. 1-07.1		A1	HEADQUARTERS USE ONLY
7002	EST.	INCENTIVE EARLY COMPL.----- (33)		A1	HEADQUARTERS USE ONLY
7003	L.S.	TYPE B PROGRESS SCHEDULE		A1	STANDARD ITEM
7004	L.S.	TYPE C PROGRESS SCHEDULE		A1	STANDARD ITEM
7005	C.Y.	STRUCTURE EXCAVATION CLASS B		I2	STANDARD ITEM
7006	C.Y.	STRUCTURE EXCAVATION CLASS B INCL. HAUL		I2	STANDARD ITEM
7008	S.F.	SHORING OR EXTRA EXCAVATION CLASS B		I2	STANDARD ITEM
7011	C.Y.	GRAVEL BACKFILL FOR FOUNDATION CLASS A		F6	STANDARD ITEM
7012	C.Y.	GRAVEL BACKFILL FOR FOUNDATION CLASS B		F6	STANDARD ITEM
7013	C.Y.	GRAVEL BACKFILL FOR PIPE BEDDING		F6	REQUIRES SPECIAL PROV.
7017	C.Y.	GRAVEL BACKFILL FOR PIPE ZONE BEDDING		F6	STANDARD ITEM
7014	C.Y.	GRAVEL BACKFILL FOR DRAIN		F6	STANDARD ITEM
7015	C.Y.	CONTROLLED DENSITY FILL		F6	STANDARD ITEM
7016	C.Y.	DESIGN C TRENCH CONSTRUCTION		I2	STANDARD ITEM
7018	MGAL	WATER		A1	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 19 OTHER ITEMS</b>					
7024	C.Y.	CONC. CLASS 3000		E0	STANDARD ITEM
7027	C.Y.	COMMERCIAL CONCRETE		E0	STANDARD ITEM
7029	EACH	PLUGGING EXISTING PIPE		G2	STANDARD ITEM
7030	LB.	ST. REINF. BAR		U0	STANDARD ITEM
7037	L.S.	STRUCTURE SURVEYING		V3	STANDARD ITEM
7038	L.S.	ROADWAY SURVEYING		V3	GSP ITEM
7042	L.S.	ADA FEATURES SURVEYING		V3	GSP ITEM
7044	L.S.	SURVEYING FOR MODIFIED CONC. OVERLAY		V3	STANDARD ITEM
7040	EST.	LICENSED SURVEYING		V3	GSP ITEM
7035	EACH	MILEPOST		U4	REQUIRES SPECIAL PROV.
7041	EACH	BOLLARD TYPE----- (43)		J0	GSP ITEM
7045	EACH	MONUMENT CASE AND COVER		O4	STANDARD ITEM
7047	EACH	MONUMENT CASE, COVER, AND PIPE		O4	GSP ITEM
7380	EACH	ADJUST MONUMENT CASE AND COVER		O4	STANDARD ITEM
7052	EACH	BRIDGE END SIDEWALK RAMP		A2	REQUIRES SPECIAL PROV.
7055	S.Y.	CEMENT CONC. SIDEWALK		C8	STANDARD ITEM
7060	S.Y.	ASPHALT CONC. SIDEWALK		A2	REQUIRES SPECIAL PROV.
7059	S.Y.	CEMENT CONC. DRIVEWAY ENTRANCE TYPE----- (20)		C8	STANDARD ITEM
7058	EACH	CEMENT CONC. CURB RAMP TYPE----- (28)		C8	STANDARD ITEM
7054	S.F.	DETECTABLE WARNING SURFACE		C8	STANDARD ITEM
7057	S.Y.	MONOLITHIC CEMENT CONC. CURB AND SIDEWALK		C8	STANDARD ITEM

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 19 OTHER ITEMS</b>					
7056	S.Y.	CEMENT CONC. SIDEWALK WITH RAISED EDGE		C8	STANDARD ITEM
7065	S.Y.	CONC. SLOPE PROTECTION		E8	STANDARD ITEM
7066	S.Y.	SEMI-OPEN CONC. MASONRY SLOPE PROTECTION		E8	GSP ITEM
7074	EACH	WIRE MESH SLOPE PROTECTION ANCHOR		X0	STANDARD ITEM
7078	S.F.	CABLE NET SLOPE PROTECTION TYPE----- (24)		X0	GSP ITEM
7080	L.F.	CABLE FENCE		I6	GSP ITEM
7083	L.F.	CHAIN LINK FENCE TYPE 3		I6	STANDARD ITEM
7085	L.F.	COATED CHAIN LINK FENCE TYPE 3		I6	GSP ITEM
7084	L.F.	CHAIN LINK FENCE TYPE 4		I6	STANDARD ITEM
7088	L.F.	COATED CHAIN LINK FENCE TYPE 4		I6	GSP ITEM
7086	L.F.	CHAIN LINK FENCE TYPE 6		I6	STANDARD ITEM
7089	L.F.	COATED CHAIN LINK FENCE TYPE 6		I6	GSP ITEM
7097	EACH	END, GATE, CORNER, AND PULL POST FOR CHAIN LINK FENCE		I6	STANDARD ITEM
7098	EACH	COATED END, GATE, CORNER, PULLPOST FOR CHAIN LINK FENCE		I6	GSP ITEM
7100	EACH	SINGLE 6 FT. CHAIN LINK GATE		I6	STANDARD ITEM
7101	EACH	SINGLE 6 FT. COATED CHAIN LINK GATE		I6	GSP ITEM
7102	EACH	DOUBLE 14 FT. CHAIN LINK GATE		I6	STANDARD ITEM
7103	EACH	DOUBLE 14 FT. COATED CHAIN LINK GATE		I6	GSP ITEM
7104	EACH	DOUBLE 20 FT. CHAIN LINK GATE		I6	STANDARD ITEM
7106	EACH	DOUBLE 20 FT. COATED CHAIN LINK GATE		I6	GSP ITEM
7110	L.F.	WIRE FENCE TYPE 1		I6	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 19 OTHER ITEMS</b>					
7111	L.F.	WIRE FENCE TYPE 2		I6	STANDARD ITEM
7114	L.F.	REMOVING AND RESETTING WIRE FENCE		I6	REQUIRES SPECIAL PROV.
7116	EACH	SINGLE WIRE GATE 14 FT. WIDE		I6	STANDARD ITEM
7118	EACH	DOUBLE WIRE GATE 20 FT. WIDE		I6	STANDARD ITEM
7119	L.F.	GAME FENCE		I6	REQUIRES SPECIAL PROV.
7130	L.F.	GLARE SCREEN TYPE 1 DESIGN A		I6	STANDARD ITEM
7132	L.F.	GLARE SCREEN TYPE 1 DESIGN B		I6	STANDARD ITEM
7135	L.F.	GLARE SCREEN TYPE 2		I6	STANDARD ITEM
7136	L.F.	BARRIER GLARE SCREEN		I6	GSP ITEM
7137	L.F.	TEMPORARY BARRIER GLARE SCREEN		I6	GSP ITEM
7145	EACH	ACCESS CONTROL GATE		I6	STANDARD ITEM
7150	C.Y.	GABION CRIBBING		J2	STANDARD ITEM
7160	TON	ROCK RETAINING WALL		S4	REQUIRES SPECIAL PROV.
7164	S.F.	GRAVITY BLOCK WALL		S4	GSP ITEM
7166	TON	ROCK FOR ROCK WALL		S4	STANDARD ITEM
7167	TON	BACKFILL FOR ROCK WALL		S4	STANDARD ITEM
7173	S.F.	FIBER BONDED METAL CRIBBING TYPE 0 DESIGN 0		O2	STANDARD ITEM
7200	L.S.	CLEANING AND PAINTING----- (34)		P4	REQUIRES SPECIAL PROV.
7300	L.S.	NAVIGATION LIGHTING SYSTEM----- (29)		H2	GSP ITEM
7330	EACH	AREA INLET		G2	STANDARD ITEM
9602	EACH	ADJUST INLET		G2	STANDARD ITEM

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 19 OTHER ITEMS</b>					
7342	EACH	ADJUST BRIDGE DRAIN		G2	REQUIRES SPECIAL PROV.
7345	EACH	ABANDON EXISTING MANHOLE		T8	STANDARD ITEM
9605	EACH	CONNECTION TO DRAINAGE STRUCTURE		T8	STANDARD ITEM
3080	EACH	ADJUST MANHOLE		T8	STANDARD ITEM
7360	EACH	MANHOLE 48 IN. DIAM. TYPE----- (30)		T8	STANDARD ITEM
7363	EACH	MANHOLE 54 IN. DIAM. TYPE----- (30)		T8	STANDARD ITEM
7364	EACH	MANHOLE 60 IN. DIAM. TYPE----- (30)		T8	STANDARD ITEM
7365	EACH	MANHOLE 72 IN. DIAM. TYPE----- (30)		T8	STANDARD ITEM
7366	EACH	MANHOLE 84 IN. DIAM. TYPE----- (30)		T8	STANDARD ITEM
7367	EACH	MANHOLE 96 IN. DIAM. TYPE----- (30)		T8	STANDARD ITEM
7369	L.F.	MANHOLE ADDITIONAL HEIGHT 48 IN. DIAM. TYPE----- (12)		T8	STANDARD ITEM
7371	L.F.	MANHOLE ADDITIONAL HEIGHT 54 IN. DIAM. TYPE----- (12)		T8	STANDARD ITEM
7372	L.F.	MANHOLE ADDITIONAL HEIGHT 60 IN. DIAM. TYPE----- (12)		T8	STANDARD ITEM
7373	L.F.	MANHOLE ADDITIONAL HEIGHT 72 IN. DIAM. TYPE----- (12)		T8	STANDARD ITEM
7375	L.F.	MANHOLE ADDITIONAL HEIGHT 96 IN. DIAM. TYPE----- (12)		T8	STANDARD ITEM
3063	EACH	DROP MANHOLE CONNECTION		T8	STANDARD ITEM
3100	EACH	ADJUST CATCH BASIN		T8	STANDARD ITEM
3110	EACH	LOCKING SOLID METAL COVER AND FRAME FOR CATCH BASIN		T8	REQUIRES SPECIAL PROV.
7350	L.S.	CLEANING EXISTING DRAINAGE STRUCTURE		A1	STANDARD ITEM
6243	EACH	ADJUST VALVE BOX		M4	REQUIRES SPECIAL PROV.
7043	EACH	ADJUST JUNCTION BOX		H2	REQUIRES SPECIAL PROV.

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 19 OTHER ITEMS</b>					
7715	EST.	FORCE ACCOUNT----- (42)		A1	REQUIRES SPECIAL PROV.
7400	HR	TRAINING		A1	GSP ITEM
7480	EST.	ROADSIDE CLEANUP		A1	STANDARD ITEM
7490	L.S.	TRIMMING AND CLEANUP		A1	STANDARD ITEM
7491	L.S.	TRIMMING AND CLEANUP----- (35)		A1	REQUIRES SPECIAL PROV.
7725	EST.	REIMBURSEMENT FOR THIRD PARTY DAMAGE		A1	STANDARD ITEM
7726	CALC	DISPUTES REVIEW BOARD		A1	STANDARD ITEM
7728	CALC	MINOR CHANGE		A1	STANDARD ITEM
7730	CALC	FUEL COST ADJUSTMENT		A1	GSP ITEM
7731	CALC	STEEL COST ADJUSTMENT		A1	STD. ITEM, GSP REQUIRED
7732	CALC	AGGREGATE COMPLIANCE PRICE ADJUSTMENT		A1	STANDARD ITEM
7733	L.S.	CONFIRMATION SCALE		A1	GSP ITEM
7736	L.S.	SPCC PLAN		A1	STANDARD ITEM
7500	L.S.	FIELD OFFICE BUILDING		A1	GSP ITEM
7530	S.Y.	CONSTRUCTION GEOTEXTILE FOR SEPARATION		G2	STANDARD ITEM
7535	S.Y.	CONSTRUCTION GEOTEXTILE FOR DITCH LINING		G2	STANDARD ITEM
7550	S.Y.	CONSTRUCTION GEOTEXTILE FOR UNDERGROUND DRAINAGE		G2	STANDARD ITEM
7552	S.Y.	CONSTRUCTION GEOTEXTILE FOR SOIL STABILIZATION		G2	STANDARD ITEM
7554	S.Y.	CONSTRUCTION GEOTEXTILE FOR PERMANENT EROSION CONTROL		G2	STANDARD ITEM
7558	S.F.	GEOTEXTILE RETAINING WALL		G2	REQUIRES SPECIAL PROV.
7559	S.F.	GEOSYNTHETIC RETAINING WALL		G2	STANDARD ITEM

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 19 OTHER ITEMS</b>					
7565	S.F.	TEMPORARY GEOSYNTHETIC RETAINING WALL		G2	STD. ITEM, GSP REQUIRED
7567	C.Y.	GRAVEL BORROW FOR STRUCTURAL EARTH WALL INCL. HAUL		I2	STANDARD ITEM
7568	TON	GRAVEL BORROW FOR STRUCTURAL EARTH WALL INCL. HAUL		I2	STANDARD ITEM
7569	EACH	NO TRESPASSING SIGN		A1	GSP ITEM
7570	L.S.	HEALTH AND SAFETY PLAN		A1	GSP ITEM
7561	S.F.	SHOTCRETE FACING		E4	REQUIRES SPECIAL PROV.
7563	C.Y.	SHOTCRETE FACING FOR ROCK/SOIL SLOPE STABILIZATION		S2	GSP ITEM
7562	EACH	MAILBOX SUPPORT TYPE----- (35)		U8	STANDARD ITEM
7800	EACH	DELETED ITEM		A0	STANDARD ITEM
7571	EST.	FA-SITE CLEANUP OF BIO. AND PHYSICAL HAZARDS		A1	GSP ITEM
1905	L.S.	MARINE SURVEYING		V3	WSF ITEM REQ. SPECIAL PRO
1910	L.S.	FURNISH BUBBLE CURTAIN SYSTEM		Q4	WSF ITEM REQ. SPECIAL PRO
1915	EACH	BUBBLE CURTAIN		Q4	WSF ITEM REQ. SPECIAL PRO
1920	EACH	MARINE LANTERN		N4	WSF ITEM REQ. SPECIAL PRO
1925	EACH	REFLECTIVE TRIANGLE		N4	WSF ITEM REQ. SPECIAL PRO
1930	EACH	RUBBER END LIP		N4	WSF ITEM REQ. SPECIAL PRO
1935	EACH	LIFE RING AND ENCLOSURE BOX		A1	WSF ITEM REQ. SPECIAL PRO
1940	L.S.	BIRD DETERRENT SYSTEM		A1	WSF ITEM REQ. SPECIAL PRO
1941	L.S.	BIRD PROTECTION AND MONITORING		A1	GSP ITEM
1945	L.F.	PEDESTRIAN HANDRAIL----- (36)		J0	WSF ITEM REQ. SPECIAL PRO
7070	L.F.	ROCK BOLT		S2	GSP ITEM



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 19 OTHER ITEMS</b>					
7071	L.F.	ROCK DOWEL TYPE----- (40)		S2	GSP ITEM
7073	EST.	FORCE ACCOUNT ROCK BOLT & ROCK DOWEL GROUT EXCEEDANCE		A1	GSP ITEM
7405	L.S.	JUST IN TIME TRAINING		A1	GSP ITEM
7077	S.F.	WIRE MESH SLOPE PROTECTION		X0	STANDARD ITEM
2805	L.S.	GENERAL ELECTRICAL		H2	WSF ITEM REQ. SPECIAL PRO
2815	L.S.	PACKAGED ENGINE-GENERATOR SYSTEM		H2	WSF ITEM REQ. SPECIAL PRO
2828	L.S.	VTS HYDRAULIC SYSTEM		N8	WSF ITEM REQ. SPECIAL PRO
2829	L.S.	VTS HYDRAULIC CYLINDERS		N8	WSF ITEM REQ. SPECIAL PRO
2830	L.S.	VTS HYDRAULIC POWER UNIT		N8	WSF ITEM REQ. SPECIAL PRO
2831	L.S.	VTS PINS AND BEARINGS		N8	WSF ITEM REQ. SPECIAL PRO
2832	L.S.	VTS ELECTRICAL SYSTEMS		H2	WSF ITEM REQ. SPECIAL PRO
2833	L.S.	VTS MECHANICAL AND CONTROLS INTEGRATION		H2	WSF ITEM REQ. SPECIAL PRO

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 20 BUILDING</b>					
8000	L.S.	COMPLETE PROJECT		C2	TECHNICAL SPECIFICATIONS
8001	L.S.	00000 MOBILIZATION		C2	REQUIRES SPECIAL PROV.
8010	L.S.	01000 GENERAL REQUIREMENTS		C2	TECHNICAL SPECIFICATIONS
8020	L.S.	02000 SITEWORK		D6	TECHNICAL SPECIFICATIONS
8022	L.S.	02100 CLEARING		D6	TECHNICAL SPECIFICATIONS
8024	L.S.	02110 DEMOLITION		F8	TECHNICAL SPECIFICATIONS
8026	L.S.	02200 EARTHWORK		D6	TECHNICAL SPECIFICATIONS
8028	L.S.	02201 BALLAST		F4	TECHNICAL SPECIFICATIONS
8030	L.S.	02300 PILE FOUNDATIONS		Q4	TECHNICAL SPECIFICATIONS
8032	L.S.	02308 PILE TESTS		Q4	TECHNICAL SPECIFICATIONS
8034	L.S.	02400 SHORING		I2	TECHNICAL SPECIFICATIONS
8036	L.S.	02500 SITE DRAINAGE		G2	TECHNICAL SPECIFICATIONS
8038	L.S.	02600 PAVING AND SURFACING		F4	TECHNICAL SPECIFICATIONS
8040	L.S.	02611 CRUSHED ROCK PAVING		F4	TECHNICAL SPECIFICATIONS
8042	L.S.	02612 ASPHALT CONCRETE PAVING		A6	TECHNICAL SPECIFICATIONS
8044	L.S.	02618 PAVEMENT MARKING		P0	TECHNICAL SPECIFICATIONS
8046	L.S.	02620 CURBS AND GUTTERS		F2	TECHNICAL SPECIFICATIONS
8048	L.S.	02630 WALKS		F2	TECHNICAL SPECIFICATIONS
8050	L.S.	02700 SITE IMPROVEMENTS		D6	TECHNICAL SPECIFICATIONS
8052	L.S.	02710 FENCES AND GATES		I6	TECHNICAL SPECIFICATIONS
8054	L.S.	02711 CHAIN LINK FENCES		I6	TECHNICAL SPECIFICATIONS

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 20 BUILDING</b>					
8056	L.S.	02712 WIRE FENCES		I6	TECHNICAL SPECIFICATIONS
8058	L.S.	02800 LANDSCAPING		M8	TECHNICAL SPECIFICATIONS
8060	L.S.	02810 MULCHING		T2	TECHNICAL SPECIFICATIONS
8062	L.S.	02811 FERTILIZING		T2	TECHNICAL SPECIFICATIONS
8064	L.S.	02821 SEEDING		T2	TECHNICAL SPECIFICATIONS
8066	L.S.	02830 TREES SHRUBS GROUNDCOVER		M8	TECHNICAL SPECIFICATIONS
8068	L.S.	02835 AGGREGATE BEDS		M8	TECHNICAL SPECIFICATIONS
8070	L.S.	02836 WOOD CHIP BEDS		M8	TECHNICAL SPECIFICATIONS
8080	L.S.	03000 CONCRETE		F2	TECHNICAL SPECIFICATIONS
8082	L.S.	03100 FORMWORK		F2	TECHNICAL SPECIFICATIONS
8084	L.S.	03200 REINFORCEMENT		F2	TECHNICAL SPECIFICATIONS
8086	L.S.	03300 CAST IN PLACE CONCRETE		F2	TECHNICAL SPECIFICATIONS
8090	L.S.	04000 MASONRY		N6	TECHNICAL SPECIFICATIONS
8095	L.S.	04220 CONCRETE UNIT MASONRY		N6	TECHNICAL SPECIFICATIONS
8100	L.S.	05000 METALS		C2	TECHNICAL SPECIFICATIONS
8102	L.S.	05100 STRUCTURAL METAL FRAMING		C2	TECHNICAL SPECIFICATIONS
8105	L.S.	05500 METAL FABRICATIONS		C2	TECHNICAL SPECIFICATIONS
8107	L.S.	05800 EXPANSION CONTROL		C2	TECHNICAL SPECIFICATIONS
8110	L.S.	06000 CARPENTRY		C6	TECHNICAL SPECIFICATIONS
8112	L.S.	06100 ROUGH CARPENTRY		C2	TECHNICAL SPECIFICATIONS
8114	L.S.	06181 GLUE LAMINATED STRUCTURAL UNITS		C2	TECHNICAL SPECIFICATIONS

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 20 BUILDING</b>					
8116	L.S.	06182 GLUE LAMINATED DECKING		C2	TECHNICAL SPECIFICATIONS
8118	L.S.	06190 WOOD TRUSSES		C2	TECHNICAL SPECIFICATIONS
8120	L.S.	06191 WOOD METAL JOISTS		C2	TECHNICAL SPECIFICATIONS
8122	L.S.	06200 FINISH CARPENTRY		C6	TECHNICAL SPECIFICATIONS
8124	L.S.	06400 ARCHITECTURAL WOODWORK		C2	TECHNICAL SPECIFICATIONS
8130	L.S.	07000 THERMAL AND MOISTURE PROTECTION		C2	TECHNICAL SPECIFICATIONS
8132	L.S.	07100 WATERPROOFING		C2	TECHNICAL SPECIFICATIONS
8134	L.S.	07150 DAMPPROOFING		C2	TECHNICAL SPECIFICATIONS
8136	L.S.	07190 VAPOR BARRIERS		C2	TECHNICAL SPECIFICATIONS
8138	L.S.	07200 INSULATION		L0	TECHNICAL SPECIFICATIONS
8140	L.S.	07300 SHINGLES		S6	TECHNICAL SPECIFICATIONS
8142	L.S.	07400 PREFORMED ROOFING AND SIDING		C2	TECHNICAL SPECIFICATIONS
8144	L.S.	07500 MEMBRANE ROOFING		C2	TECHNICAL SPECIFICATIONS
8146	L.S.	07600 FLASHING AND SHEET METAL		C2	TECHNICAL SPECIFICATIONS
8148	L.S.	07800 ROOF ACCESSORIES		S6	TECHNICAL SPECIFICATIONS
8149	L.S.	07900 SEALANTS		C2	TECHNICAL SPECIFICATIONS
8150	L.S.	08000 DOORS WINDOWS GLASS		C2	TECHNICAL SPECIFICATIONS
8152	L.S.	08100 METAL DOORS AND FRAMES		C2	TECHNICAL SPECIFICATIONS
8154	L.S.	08110 HOLLOW METAL WORK		C2	TECHNICAL SPECIFICATIONS
8156	L.S.	08120 ALUMINUM DOORS AND FRAMES		C2	TECHNICAL SPECIFICATIONS
8158	L.S.	08200 WOOD AND PLASTIC DOORS		C2	TECHNICAL SPECIFICATIONS

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 20 BUILDING</b>					
8160	L.S.	08360 OVERHEAD DOORS		C2	TECHNICAL SPECIFICATIONS
8162	L.S.	08510 STEEL WINDOWS		C2	TECHNICAL SPECIFICATIONS
8164	L.S.	08520 ALUMINUM WINDOWS		C2	TECHNICAL SPECIFICATIONS
8166	L.S.	08600 WOOD AND PLASTIC WINDOWS		C2	TECHNICAL SPECIFICATIONS
8167	L.S.	08700 HARDWARE AND SPECIALTIES		C2	TECHNICAL SPECIFICATIONS
8168	L.S.	08800 GLAZING		C2	TECHNICAL SPECIFICATIONS
8169	L.S.	08823 INSULATING GLASS		J4	TECHNICAL SPECIFICATIONS
8170	L.S.	09000 FINISHES		C2	TECHNICAL SPECIFICATIONS
8172	L.S.	09250 GYPSUMBOARD		C2	TECHNICAL SPECIFICATIONS
8174	L.S.	09300 TILE		V8	TECHNICAL SPECIFICATIONS
8176	L.S.	09500 ACOUSTIC TREATMENT		C2	TECHNICAL SPECIFICATIONS
8178	L.S.	09540 CEILING SUSPENSION SYSTEMS		C2	TECHNICAL SPECIFICATIONS
8180	L.S.	09650 RESILIENT FLOORING		I0	TECHNICAL SPECIFICATIONS
8182	L.S.	09680 CARPETING		I0	TECHNICAL SPECIFICATIONS
8184	L.S.	09700 SPECIAL FLOORING		I0	TECHNICAL SPECIFICATIONS
8186	L.S.	09800 SPECIAL COATINGS		J4	TECHNICAL SPECIFICATIONS
8188	L.S.	09900 PAINTING		O0	TECHNICAL SPECIFICATIONS
8190	L.S.	09910 EXTERIOR PAINTING		C2	TECHNICAL SPECIFICATIONS
8192	L.S.	09920 INTERIOR PAINTING		C2	TECHNICAL SPECIFICATIONS
8194	L.S.	09950 WALL COVERING		C2	TECHNICAL SPECIFICATIONS
8200	L.S.	10000 SPECIALTIES		C2	TECHNICAL SPECIFICATIONS

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 20 BUILDING</b>					
8203	L.S.	10160 TOILET PARTITIONS		C2	TECHNICAL SPECIFICATIONS
8206	L.S.	10400 IDENTIFYING DEVICES		C2	TECHNICAL SPECIFICATIONS
8209	L.S.	10500 LOCKERS		C2	TECHNICAL SPECIFICATIONS
8212	L.S.	10601 MESH PARTITIONS		C2	TECHNICAL SPECIFICATIONS
8215	L.S.	10800 TOILET AND BATH ACCESSORIES		C2	TECHNICAL SPECIFICATIONS
8220	L.S.	11000 EQUIPMENT		C2	TECHNICAL SPECIFICATIONS
8225	L.S.	11555 FUEL DISPENSING UNIT		C2	TECHNICAL SPECIFICATIONS
8230	L.S.	12000 FURNISHINGS		C2	TECHNICAL SPECIFICATIONS
8233	L.S.	12500 WINDOW TREATMENT		C2	TECHNICAL SPECIFICATIONS
8237	L.S.	12675 FLOOR MATS		I0	TECHNICAL SPECIFICATIONS
8240	L.S.	13000 SPECIAL CONSTRUCTION		C2	TECHNICAL SPECIFICATIONS
8248	L.S.	13600 PREFABRICATED STRUCTURES		C2	TECHNICAL SPECIFICATIONS
8254	L.S.	13900 SUBSYSTEMS		C2	TECHNICAL SPECIFICATIONS
8260	L.S.	14000 CONVEYING SYSTEMS		C2	TECHNICAL SPECIFICATIONS
8265	L.S.	14300 TROLLEY HOISTS		C2	TECHNICAL SPECIFICATIONS
8270	L.S.	14310 JIB CRANES		C2	TECHNICAL SPECIFICATIONS
8275	L.S.	14400 TRUCK LIFTS		C2	TECHNICAL SPECIFICATIONS
8280	L.S.	15000 MECHANICAL		N8	TECHNICAL SPECIFICATIONS
8282	L.S.	15210 DOMESTIC WATER PIPING SYSTEM		C2	TECHNICAL SPECIFICATIONS
8284	L.S.	15220 IRRIGATION WATER SYSTEM		M4	TECHNICAL SPECIFICATIONS
8286	L.S.	15250 SOIL AND WASTE SYSTEM		T8	TECHNICAL SPECIFICATIONS

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 20 BUILDING</b>					
8288	L.S.	15280 SANITARY SEWERS		T8	TECHNICAL SPECIFICATIONS
8290	L.S.	15290 STORM DRAINAGE		T8	TECHNICAL SPECIFICATIONS
8292	L.S.	15300 PLUMBING FIXTURES AND TRIM		C2	TECHNICAL SPECIFICATIONS
8294	L.S.	15410 COMPRESSED AIR SYSTEM		C2	TECHNICAL SPECIFICATIONS
8296	L.S.	15700 FUEL STORAGE TANKS		C2	TECHNICAL SPECIFICATIONS
8298	L.S.	15820 AIR HANDLING EQUIPMENT		W0	TECHNICAL SPECIFICATIONS
8300	L.S.	15860 AIR DISTRIBUTION DUCT SYSTEM		W0	TECHNICAL SPECIFICATIONS
8302	L.S.	15870 AIR TERMINAL UNITS		W0	TECHNICAL SPECIFICATIONS
8304	L.S.	15890 AIR FILTRATION EQUIPMENT		W0	TECHNICAL SPECIFICATIONS
8306	L.S.	15950 HVC CONTROLS AND INSTRUCTIONS		C2	TECHNICAL SPECIFICATIONS
8320	L.S.	16000 ELECTRICAL		C2	TECHNICAL SPECIFICATIONS
8322	L.S.	16400 SERVICE AND DISTRIBUTION		C2	TECHNICAL SPECIFICATIONS
8324	L.S.	16500 LIGHTING		C2	TECHNICAL SPECIFICATIONS
8326	L.S.	16740 TELEPHONE SYSTEM		C2	TECHNICAL SPECIFICATIONS
8328	L.S.	16850 ELECTRIC HEATING		C2	TECHNICAL SPECIFICATIONS

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 25 On Hold Items</b>					
6811	L.F.	INLAID PLASTIC LINE		V6	STANDARD ITEM



## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

Date: 02/15/2024  
DOT-RGG101

## STANDARD ITEM TABLE - ENGLISH

STD ITEM NUMBER	UNIT OF MEASURE	***** DESCRIPTION *****	ADD ON DESC	PREQUAL CODE	ITEM USE
<b>SECTION: 29 SUPERSTRUCTURE</b>					
9905	C.Y.	SUPERSTRUCTURE - MISC. CONC. CLASSES		B0	SUPERSTRUCTURE ITEM
9906	C.Y.	SUPERSTRUCTURE - CONC. CLASS 4000		B0	SUPERSTRUCTURE ITEM
9907	C.Y.	SUPERSTRUCTURE - CONC. CLASS 5000		B0	SUPERSTRUCTURE ITEM
9910	LB.	SUPERSTRUCTURE - ST. REINF. BAR		B0	SUPERSTRUCTURE ITEM
9912	LB.	SUPERSTRUCTURE - EPOXY-COATED ST. REINF. BAR		B0	SUPERSTRUCTURE ITEM
9915	LB.	SUPERSTRUCTURE - STRUCTURAL CARBON ST.		B0	SUPERSTRUCTURE ITEM
9920	LB.	SUPERSTRUCTURE - STRUCTURAL LOW ALLOY ST.		B0	SUPERSTRUCTURE ITEM
9925	LB.	SUPERSTRUCTURE - STRUCTURAL HIGH ALLOY ST.		B0	SUPERSTRUCTURE ITEM
9930	LB.	SUPERSTRUCTURE - CAST STEEL		B0	SUPERSTRUCTURE ITEM
9935	EACH	SUPERSTRUCTURE - BRIDGE DRAIN		B0	SUPERSTRUCTURE ITEM
9940	L.F.	SUPERSTRUCTURE - ELECTRICAL CONDUIT		B0	SUPERSTRUCTURE ITEM
9950	L.F.	SUPERSTRUCTURE - BRIDGE RAILING		B0	SUPERSTRUCTURE ITEM
9960	EACH	SUPERSTRUCTURE - ELASTOMERIC BEARING PAD		B0	SUPERSTRUCTURE ITEM
9962	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W74MG		B0	SUPERSTRUCTURE ITEM
9963	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W58MG		B0	SUPERSTRUCTURE ITEM
9964	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W50MG		B0	SUPERSTRUCTURE ITEM
9965	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W42MG		B0	SUPERSTRUCTURE ITEM
9966	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W53DMG		B0	SUPERSTRUCTURE ITEM
9967	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W35DMG		B0	SUPERSTRUCTURE ITEM
9980	LB.	SUPERSTRUCTURE - PRESTRESSING		B0	SUPERSTRUCTURE ITEM
9995	..	TEST ITEM - DO NOT USE-KB		A1	STANDARD ITEM